



Inspection Report

DETROIT ANIMAL WELFARE GROUP
78440 MCKAY RD
ROMEO, MI 48065

Customer ID: **502451**

Certificate: **34-C-0424**

Site: 001

DETROIT ANIMAL WELFARE
GROUP

Type: ROUTINE INSPECTION

Date: 22-APR-2021

3.75(a)

Housing facilities, general.

There is a section of wire inside the lemur enclosure which is hanging down loose from the top of the enclosure on one side of the wire. This wire lines the top of the enclosure. This is an injury hazard for the lemur as it might become entrapped or one of the lemur's limbs could become caught between the two layers of wire. Housing enclosures must be constructed to protect the animals from injury. This wire should be securely attached to prevent injury to the lemur.

Correct by: 4-24-21

3.78(d)

Outdoor housing facilities.

The outdoor enclosure for the lemur does not have the required 6' perimeter fence. This fence serves to protect the lemur by restricting unauthorized access of humans and animals. It prevents physical contact of the lemur by these unauthorized animals or humans. Construct a perimeter fence 6' in height at least 3' from the lemur's primary enclosure. It should be constructed to keep animals from going through or under it.

Correct by: 7-24-21

3.125(a)

Facilities, general.

Prepared By: KURT HAMMEL

USDA, APHIS, Animal Care

Date:

22-APR-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

22-APR-2021



Inspection Report

The temporary day housing enclosure housing one cow has a section of panel fencing which has been buckled outward and pushed down by the cow. This fence could become an injury hazard to the cow as it could become tangled in the fence while attempting to exit the enclosure. This enclosure should be of strength appropriate for the animal it contains to protect the cow from becoming injured or loose from the enclosure. Repair/replace this animal enclosure.

Correct by: 4-24-21

3.127(d)

Facilities, outdoor.

The perimeter fence for the enclosure housing one coyote is not 6' high. This fence must be at least 6' high. It should serve to keep unauthorized persons and animals from going through it or under it and having contact with the coyote. It should serve as a secondary containment system for the coyote. Construct a 6' perimeter fence for the coyote enclosure at least 3' from the primary enclosure.

Correct by: 5-22-21

This inspection and exit interview were conducted with a facility representative.

Prepared By: KURT HAMMEL

USDA, APHIS, Animal Care

Date:

22-APR-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

22-APR-2021



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|------------------------------|-------------|
| 502451 | 34-C-0424 | 001 | DETROIT ANIMAL WELFARE GROUP | 22-APR-2021 |

| Count | Scientific Name | Common Name |
|--------|------------------------------|--|
| 000005 | <i>Capra hircus</i> | DOMESTIC GOAT |
| 000007 | <i>Sus scrofa domestica</i> | DOMESTIC PIG / POTBELLY PIG / MICRO PIG |
| 000002 | <i>Ovis aries aries</i> | SHEEP INCLUDING ALL DOMESTIC BREEDS |
| 000004 | <i>Vulpes vulpes</i> | RED FOX (INCLUDES SILVER FOX & CROSS FOX) |
| 000002 | <i>Bos taurus</i> | CATTLE / COW / OX / WATUSI |
| 000001 | <i>Lemur catta</i> | RING-TAILED LEMUR |
| 000001 | <i>Oryctolagus cuniculus</i> | DOMESTIC RABBIT / EUROPEAN RABBIT |
| 000001 | <i>Canis latrans</i> | COYOTE |
| 000023 | Total | |