



Inspection Report

Aaron K Esh
110 Esh Lane
Loganton, PA 17747

Customer ID: **502383**
Certificate: **23-A-0656**
Site: 001
AARON K ESH

Type: ROUTINE INSPECTION
Date: 24-SEP-2018

3.28(c)(1)(iii)

PRIMARY ENCLOSURES.

Three enclosures each housed 15 weaned guinea pigs and measured 16 inches by 48 inches providing 768 square inches of floor space. Fifteen weaned guinea pigs weighing less than 350 grams require 60 square inches of space each, for a total required floor space equal to or greater than 900 square inches.

Overcrowding and the lack of space impact the growth, health, and well-being of the animals. The licensee must provide at least 60 square inches of floor space for each weaned guinea pig weighing less than 350 grams, and 101 square inches for guinea pigs weighing more than 350 grams and nursing females with their litters.

To be corrected by: September 28, 2018

3.30

WATERING.

Eight enclosures housing approximately 156 guinea pigs had a buildup of brown greasy residue on the waste water collection tubes.

The lack of removing organic material prior to and sanitizing can allow for the harboring of disease, and make the sanitizing process ineffective. All watering receptacles shall be cleaned then sanitized when dirty: Provided, however, that such receptacles shall be sanitized at least once every 2 weeks.

To be corrected by: October 8, 2018

3.31(a)(2)

SANITATION.

Prepared By: BARTELS MARY, A C I USDA, APHIS, Animal Care

Date:
26-SEP-2018

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: LICENSEE

Date:
27-SEP-2018



Inspection Report

Two enclosures housing a total of 44 guinea pigs had wet bedding on about half of the floor space near the water nipples.

Wet bedding can cause health issues including respiratory infections, and can be uncomfortable for the animals be on. Guinea pigs shall be transferred to clean primary enclosures in the event a primary enclosure becomes soiled or wet to a degree that might be harmful or uncomfortable to the animals therein due to leakage of the watering system, discharges from dead or dying animals, spoiled perishable foods, or moisture condensation

To be corrected by: September 28, 2018

This inspection and exit interview were conducted with the licensee.

Prepared By: BARTELS MARY, A C I USDA, APHIS, Animal Care

Date:
26-SEP-2018

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: LICENSEE

Date:
27-SEP-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502383	23-A-0656	001	AARON K ESH	24-SEP-18

Count	Scientific Name	Common Name
000409	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000409	Total	