



Inspection Report

Palmetto Distilleries
P O Box 6159
Anderson, SC 29623

Customer ID: **329838**
Certificate: **56-C-0249**
Site: 001
PALMETTO MOONSHINE

Type: ROUTINE INSPECTION
Date: 15-JUL-2015

3.125(a)

FACILITIES, GENERAL.

Several structural items need repair on the goat enclosures on the roof. The enclosures are all interconnected with the ground enclosure. On the enclosure above the store, the goats have pushed the 2" X 4" wire totally loose in the front left corner leaving a gap the goats could fall through. This area needs to be closed off until this is repaired. In this same area, four protruding nail heads in a pallet ladder need to be removed.

The bottom of the fence wire in the walkways between the enclosures is not connected to the bottom board and is curling up posing a tripping hazard. All bottom fencing needs to be secured so it does not curl up and so it will not be pushed outside the board.

The ground wire on the secondary elevated enclosure with slopes is uncovered and multiple broken wires are protruding. This wire needs to be removed or covered with dirt or sufficient substrate to keep the wires from potentially tripping or injuring the goats.

Two support posts for the secondary elevated enclosure are loose; one is entirely disconnected from the base. These support posts need to be repaired or replaced so that the fencing does not become pushed out or loose.

Above items to be corrected by 7-31-15.

Exit briefing conducted with facility representative.

Prepared By: LISA MACELDERRY, D V M USDA, APHIS, Animal Care

Date:
15-JUL-2015

Title: VETERINARY MEDICAL OFFICER 1055

Received by Title: EMPLOYEE

Date:
15-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329838	56-C-0249	001	PALMETTO MOONSHINE	15-JUL-15

Count	Scientific Name	Common Name
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000004	Total	