



Inspection Report

Phil Weymouth
Yolanda Weymouth
9801 Old Military Road
Subiaco, AR 72865

Customer ID: **21395**

Certificate: **71-A-0874**

Site: 001

PHIL WEYMOUTH, YOLANDA WEYMOUTH

Type: ROUTINE INSPECTION

Date: 29-SEP-2015

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

** During the inspection three enclosures of puppies were observed with their feet passing through the raised wire flooring. This could cause injury to the feet and/or legs and it also affects the puppies ability to walk in a normal manner. The wire floor must be modified so that the feet and legs of the puppies do not fall through the openings in the flooring. Primary enclosures must be constructed and maintained so that they have floors that are constructed in a manner that protects the dogs' feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs' feet to pass through any openings in the floor. To be corrected by: 10-15-15

This inspection and exit briefing conducted with the licensee.

End of report.

Prepared By: JOHN LIES, A C I USDA, APHIS, Animal Care

Date:
30-SEP-2015

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: E-MAIL

Date:
30-SEP-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
21395	71-A-0874	001	PHIL WEYMOUTH, YOLANDA WEYMOUTH	29-SEP-15

Count	Scientific Name	Common Name
000185	<i>Canis lupus familiaris</i>	DOG ADULT
000085	<i>Canis lupus familiaris</i>	DOG PUPPY
000270	Total	