



## Inspection Report

Eva Martin  
Isaac Martin  
17036 Ivan Road  
Fortuna, MO 65034

Customer ID: **28428**  
Certificate: **43-A-4303**  
Site: 001  
EVA & ISAAC MARTIN

Type: ROUTINE INSPECTION  
Date: 09-MAR-2015

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

\*\*\*Within an indoor enclosure inside the sheltered building, there was an approximately 7 week old male Yorkshire Terrier (no ID) that was unsteady when walking and was shivering. A heat lamp was present under the solid floor of his enclosure and the floor temperature registered 80 degrees F with the inspector's Raytek gun. And, although a blanket was provided in the enclosure, the puppy still appeared to be trembling. The puppy was observed walking through a raised doorway and appeared to struggle and seemed uncoordinated going in and out of the doorway. According to the licensee, the puppy was the smallest of the litter when it was born. She had separated the puppy from its littermates during weaning because it was so much smaller than its littermates and thought it weighed less than a pound. The licensee saw that the puppy's head was turned back this morning while it was lying down and thought that the dog may have had a seizure but wasn't sure. The licensee had not contacted a veterinarian about the puppy's condition. This puppy's condition could be due to infection, metabolic or physical abnormality and/or another veterinary medical condition which could cause discomfort. The licensee must have this animal examined by a licensed veterinarian in order to ensure that an accurate diagnosis is obtained and an appropriate treatment plan is developed and followed.

\*\*\*In the ready to use medication storage area, there was a bottle of Ivermectin that had a labeled expiration date of 03/14. During the April 23, 2014 inspection there was also a bottle of Ivermectin with a labeled expiration date of 03/14 included on the inspection report. Medications that are expired and given to the animals may not produce the desired result. The licensee must remove all expired medications from the ready to use portion of the facility and ensure that expired medications are not used past their labeled expiration date. As part of the facility's program of veterinary care, the licensee must make certain that all medications are within the expiration date.

The licensee must ensure that all animals receive adequate veterinary care at all times.

### 3.1(a)

#### HOUSING FACILITIES, GENERAL.

(a) Structure; construction.

Prepared By: ERIKA LEISNER, D V M USDA, APHIS, Animal Care

Date:  
10-MAR-2015

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: LICENSEE

Date:  
10-MAR-2015



## Inspection Report

---

\*\*\*A section of wire flooring was detached from a wooden support for an outdoor portion of an enclosure. The detached flooring left an approximately 12 inches by 1 inch (at its largest) gap in the flooring. This gap appeared large enough for a foot of one of the dogs inside of the enclosure, which included Chihuahuas, to fit through.

\*\*\*One enclosure housing an approximately 7 week old Yorkshire Terrier puppy had walls in disrepair. One of the solid walls inside of the enclosure had an irregular shaped hole in it that was approximately 5 inches by 1 1/2 inches. The edges around the hole appeared jagged. Under the in/out door of the same enclosure there was also an area where the wall appeared chewed with jagged edges. Some of these jagged edges were at the puppy's level.

These items of disrepair with gaps and jagged edges increase the risk of injury to the animals. The licensee must ensure, at all times, that all animal housing facilities are kept in good repair and that they protect the animals from injury, contain the animals securely, and restrict other animals from entering. To be corrected by: March 16, 2015.

### 3.1(c)(1)(1) REPEAT HOUSING FACILITIES, GENERAL.

(c) Surfaces--(1) General requirements. (i)

\*\*\*Within the outdoor portion of the sheltered facility, there were sections of the solid walls in the enclosures which were excessively rusted. There were varying degrees of rust observed in all the outdoor portions of the enclosures. The rust was mainly present around the wooden frames on the wall and around the in/out doors of the enclosures. Excessive rust can decrease structural strength and can prevent the required cleaning and sanitization which can increase the risk of disease hazards. The licensee must ensure that all surfaces of housing facilities are kept free of excess rust that prevents the required cleaning and sanitization or that affects the structural strength of the surface.

The inspection was conducted with the licensee, Dr. Erika Leisner (VMO) and William Heine (ACI). An exit interview was conducted on March 10, 2015 with the same individuals.

#### Additional Inspectors

Heine William, Animal Care Inspector

---

Prepared By: ERIKA LEISNER, D V M USDA, APHIS, Animal Care

Date:  
10-MAR-2015

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: LICENSEE

Date:  
10-MAR-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
28428	43-A-4303	001	EVA & ISAAC MARTIN	09-MAR-15

Count	Scientific Name	Common Name
000028	<i>Canis lupus familiaris</i>	DOG ADULT
000011	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000039</b>	<b>Total</b>	