



Inspection Report

AARON GLICK
25766 HWY 81
CUBA CITY, WI 53807

Customer ID: **327740**
Certificate: **35-A-0363**
Site: 001
AARON GLICK

Type: RE-LICENSE INSPECTION
Date: 07-OCT-2021

3.31(a)(1)

Sanitation.

The lower building's dividers have a build-up of dark colored grime, mostly on the upper part of the dividers. A build-up of grime can contain germs and is a surface that can't be sanitized correctly. Ensure that surfaces in the enclosures are cleaned often enough to prevent an accumulation of excreta or debris.

3.31(b)

Sanitation.

The area on the north side of the upper guinea pig building is overgrown with weeds and has old building materials laying around that don't allow regular trimming of the weeds. Overgrown areas of weeds with old building materials create areas for rodents to live and if rodents become established they can affect the guinea pigs. Ensure that this area is free from old building material so that the brush and weeds can be trimmed on a regular basis.

This is a 1st Pre-License Inspection for a Class A license. The inspection and exit briefing were conducted with a facility representative.

All items must be in compliance within 2 more inspection(s) by December 6, 2021 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Pre-License Inspection.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
07-OCT-2021

Received by Title: Applicant

Date:
07-OCT-2021



Inspection Report

Conducting regulated activities without a valid USDA license is a violation of the Animal Welfare Act.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
07-OCT-2021

Received by Title: Applicant

Date:
07-OCT-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327740	35-A-0363	001	AARON GLICK	07-OCT-2021

Count	Scientific Name	Common Name
001763	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001763	Total	