



## Inspection Report

---

AMOS K FISHER  
19 Wagon Wheel Lane  
LOGANTON, PA 17747

Customer ID: **505245**  
Certificate: **23-A-0691**  
Site: 001  
AMOS K FISHER

Type: RE-LICENSE INSPECTION  
Date: 25-JAN-2022

---

### 3.26(a)

#### Facilities, indoor.

Although there was a wall thermometer that read 62 F, the temperature on floor where the guinea pigs were housed in floor pens ranged from 56 to 58 F as measured with a kestrel. There were wall curtains on each side of the facility and a roof vent where a draft could be felt.

Guinea pigs kept in ambient temperatures that are too low may be subject to cold stress that may cause discomfort and predispose them to developing other health issues.

The ambient temperature in indoor housing facilities for guinea pigs must not fall below 60 degrees F.

Correct by: January 28, 2022

### 3.31(b)

#### Sanitation.

The ledges next to the wall curtains on either side of the guinea pig facility contained a build-up of dirt, grime, discarded hay, and debris.

The lack of sanitation and presence of dirt and debris may attract pests into the room, result in unpleasant odors, and may contribute to spread of disease.

The buildings used for housing animals must be kept clean and in good repair to protect the animals from injury and to

---

**Prepared By:** CHRISTINA RADZAI  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
25-JAN-2022

**Received by Title:** Licensee

**Date:**  
25-JAN-2022



## Inspection Report

---

facilitate prescribed husbandry practices and maintain the health of the animals.

Correct by: February 8, 2022

This is a 1st Re-License Inspection for a Class "A" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by March 26, 2022 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

---

**Prepared By:** CHRISTINA RADZAI  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
25-JAN-2022

**Received by Title:** Licensee

**Date:**  
25-JAN-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
505245	23-A-0691	001	AMOS K FISHER	25-JAN-2022

Count	Scientific Name	Common Name
000640	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000640	<b>Total</b>	