

## United States Department of Agriculture Animal and Plant Health Inspection Service

**PLARACUENTE** INS-0000831762

## Inspection Report

Terri Pompay

510 SE Hwy 484 Ocala, FL 34480

Customer ID: 324986

Certificate: 58-A-0345

Site: TRA

Terri Pompay

Type: ROUTINE INSPECTION

Date: 03-DEC-2022

#### 3.87(a)(3)

#### Primary enclosures used to transport nonhuman primates.

On Saturday, December 3, 2022, while taking inventory at the Madison, FL Auction three home-built cages with tag numbers 1937, 1938, and 1939 had one common marmoset each. All cages had spaces of 0.5 inch, where the nonhuman primates could stick their hands and arms through. Getting their hands and arms through could lead to injury to the non-human primate, injury to the public, or to animals close by as different species were placed in the same area. Primary enclosures used for transporting non-human primates must be constructed so that the non-human primate is at all times securely contained within the enclosure and cannot put any part of its body outside the enclosure in a way that could result in injury to the animal, or to persons or animals nearby.

Corrected by: January 8, 2023

#### 3.87(a)(10)

### Primary enclosures used to transport nonhuman primates.

On Saturday, December 3, 2022, while taking inventory at the Madison, FL Auction three home-built cages with tag numbers 1937, 1938, and 1939 had one common marmoset each. All cages had puppy pads that had been moved around and bundled in corners by the non-human primates. The collection of urine and excreta on the puppy pad can lead to disease and no dry place for them to stand and lay on while on transport. The primary enclosure must have a

Prepared By: PATRICIA LARACUENTE Date:

USDA, APHIS, Animal Care 07-DEC-2022 Title:

Received by Title: Facility Representative Date:

07-DEC-2022



## United States Department of Agriculture Animal and Plant Health Inspection Service

PLARACUENTE INS-0000831762

## **Inspection Report**

solid, leak-proof bottom, or a removable, leak-proof collection tray under a slatted or wire mesh floor that prevents seepage of waste products, such as excreta and body fluids, outside of the enclosure. If a slatted or wire mesh floor is used in the enclosure, it must be designed and constructed so that the animal cannot put any part of its body between the slats or through the holes in the mesh. It must contain enough previously unused litter to absorb and cover excreta. The litter must be of a suitably absorbent material that is safe and nontoxic to the nonhuman primate and is appropriate for the species transported in the primary enclosure.

Corrected by: January 8, 2023

This inspection and exit interview were conducted with Facility Representative.

Additional Inspectors:

E GONZALEZ, VETERINARY MEDICAL OFFICER

Prepared By: PATRICIA LARACUENTE Date:

USDA, APHIS, Animal Care 07-DEC-2022

Received by Title: Facility Representative Date: 07-DEC-2022



# United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 324986

Inspection Date: 03-Dec-2022

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
324986	58-A-0345	TRA	Terri Pompay	03-DEC-2022

Count **Scientific Name Common Name** 000003

Callithrix jacchus **COMMON MARMOSET** 

000003 Total