



Inspection Report

Pecks Farm Market II East LLC
7115 Peck Road
Arena, WI 53503

Customer ID: **6016825**
Certificate: **35-C-0416**
Site: 001
Pecks Farm Market II East LLC

Type: ROUTINE INSPECTION
Date: 30-JAN-2025

3.130

Watering.

The hose to a receptacle that a billy goat drinks from is broke, leaving an area of pooling water for the goat to drink from. The small area on the ground with minimal flow can't be considered potable water for the billy goat. Ensure to maintain a source of potable drinking water for the billy goat.

***Correct by 2/3/2025.

The cattle pen's water-receptacle was dry at the time of inspection and when water was restored the cows were moderately thirsty. A valve that normally maintains continuous flow to the receptacle was closed at the time. Other animals that share the same water receptacles (fallow deer, sheep, goats) didn't appear to be thirsty when water flow was restored. Ensure to maintain adequate potable water for the animals in sufficient quantity that provides for their health and comfort. ***Item was corrected during inspection.

***Maintain correct from 1/31/2025 forward.

3.154

Repeat

Environment enhancement to promote psychological well-being.

Birds at the facility are socially housed and live in an enriched environment, however the written Program of Environmental Enhancement for birds wasn't available for review during inspection. The facility representative said it might be with the Attending Veterinarian (AV) for review. A written program of environmental enrichment/enhancement that is approved by the Attending Veterinarian is required to be available and helps demonstrate that the facility plans and provides appropriate housing environments and enrichment for their birds. Ensure to work with the attending veterinarian to locate or obtain the Written Program of Environmental Enhancement.

3.156

Repeat

Watering

The peafowl and ducks water was no longer flowing into their receptacle to keep the water clean, so their drinking water was limited to the water on the ground that is continually refreshed with well water. The lack of a receptacle doesn't ensure the ducks and peafowl have access to potable water. Ensure to provide and maintain sufficient access to potable water for the peafowl and ducks.

Prepared By: SCOTT WELCH

USDA, APHIS, Animal Care

Date:
31-JAN-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: _____

Date:
31-JAN-2025



Inspection Report

This inspection and exit interview were conducted with facility representatives.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
31-JAN-2025

Received by Title: _____

Date:
31-JAN-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6016825	35-C-0416	001	Pecks Farm Market II East LLC	30-JAN-2025

Count	Scientific Name	Common Name
000004	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000012	<i>Dama dama</i>	FALLOW DEER
000001	<i>Cervus canadensis</i>	ELK / WAPITI
000023	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000002	<i>Bison bison</i>	AMERICAN BISON
000001	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000020	<i>Gallus gallus domesticus</i>	DOMESTIC CHICKEN (INCLUDING ALL DOMESTIC BREEDS / TURKIN / COCK / HEN / ROOSTER)
000010	<i>Anas platyrhynchos domesticus</i>	DOMESTIC DUCK INCLUDING ALL DOMESTIC BREEDS
000011	<i>Pavo cristatus</i>	INDIAN PEAFOWL / COMMON PEAFOWL / PEAHEN / PEACOCK
000004	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000091	Total	