



Inspection Report

Rodger Clyne
10900 N E 120th St
Okeechobee, FL 34972

Customer ID: **327114**
Certificate: **58-C-1029**
Site: 001
ROGER CLYNE

Type: ROUTINE INSPECTION
Date: 11-FEB-2016

3.56(a)(3)

SANITATION.

The manure under the rabbit cages is excessive on this inspection and needs to be cleaned out and disposed of properly. If primary enclosures are equipped with wire or mesh floors, the troughs or pans under such enclosures shall be cleaned at least once each week. Leaving large amounts of fecal matter under the enclosures is an attraction for vermin and insects.

Correct by: 02-16-2016.

An exit briefing was done in person and the inspection report sent to the licensee via email due to technical difficulties.

Prepared By: MEGAN ADAMS, A C I USDA, APHIS, Animal Care

Date:
11-FEB-2016

Title: ANIMAL CARE INSPECTOR 1027

Received by Title: OWNER

Date:
11-FEB-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327114	58-C-1029	001	ROGER CLYNE	11-FEB-16

Count	Scientific Name	Common Name
000003	<i>Bos primigenius indicus</i>	ZEBU
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Lama glama</i>	LLAMA
000028	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000006	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000049	Total	