



Inspection Report

ABBIOTEC, INC
938 S. Andreasen Dr. Ste I
ESCONDIDO, CA 92029

Customer ID: **502843**
Certificate: **93-R-0582**
Site: 002
Couser Valley Ranch, LLC

Type: ROUTINE INSPECTION
Date: 23-JUL-2025

3.125(a)

Facilities, general.

The wire, fenced gate between the two outdoor pens housing llamas, alpacas and goats was in disrepair. The upper part of this gate had loose and broken, protruding wire points as well as a gap or opening approximately 2ft.X 3ft.in size. The animals may become injured from sharp, protruding wires or could possibly become caught or trapped in any loose wiring or open gaps in fencing. All housing facilities and animal areas must be structurally sound and maintained in good repair to protect the animals from injury and to contain the animals. A system of timely identification, facility repair and maintenance must be in place.

Correct by 08/08/2025.

This inspection and exit interview were conducted with a facility representative.

Prepared By: TYLER FIELDS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
28-JUL-2025

Received by Title: Facility Representative

Date:
28-JUL-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502843	93-R-0582	002	Couser Valley Ranch, LLC	23-JUL-2025

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000004	<i>Lama glama</i>	LLAMA
000003	<i>Lama pacos</i>	ALPACA
000010	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000019	Total	