



Inspection Report

TOM RUNYAN
4839 RIO PENASCO RD.
MAYHILL, NM 88339

Customer ID: **40533**
Certificate: **85-C-0022**
Site: 001
TOM W. RUNYAN

Type: ROUTINE INSPECTION
Date: 11-OCT-2022

3.127(c)

Facilities, outdoor.

In the temporary holding/quarantine pen containing three, adult goats, the ground is diffusely wet, with ~2 inches of mud from rain water and urine that has not drained out of the enclosure; there are no dry areas for the animals to stand. Standing water and mud can cause animals discomfort, promote skin and hoof problems, and encourage the growth of pathogens as well as the presence of pests and vermin. The licensee must provide a suitable method to rapidly eliminate excess water or otherwise prevent the situation where the animals have no dry surfaces on which to stand and walk to reach food and water. Any methods for correcting drainage shall comply with applicable Federal, state and local laws and regulations pertaining to pollution control or the protection of the environment.

TO BE CORRECTED BY OCTOBER 15, 2022.

3.127(d)

Repeat

Facilities, outdoor.

As of the date of inspection, no progress has been made on repair/replacement of the perimeter fence to ensure that it is sturdy and can serve the intended purpose of a true perimeter fence:

The perimeter fence is less than six feet in height around the "Yard" pen at the front of the facility. Additionally, the rear perimeter fence line is in poor repair and is constructed of weathered wooden and metal posts connected with broken

Prepared By: TAMILA STOTT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
14-OCT-2022

Received by Title: Facility Representative

Date:
14-OCT-2022



Inspection Report

and/or sagging wire; it is less than six feet in height all along its visible length. Neither of these fence sections are true perimeter fences because they are functioning as the walls of primary enclosures and can therefore not serve as a secondary containment system for any escaped animals; they also cannot prevent other animals and unauthorized persons from entering. These situations pose a risk of injury for both people and animals. The licensee must modify the existing fence(s) or install a different perimeter fence or fences of at least 6 feet in height (for the species inventoried at the time of this inspection), a minimum of three feet from the primary enclosures, and constructed so that the fence(s) protect(s) the animals by restricting entry of outside animals and unauthorized persons from going through it, or under it, or having contact with the animals in the facility.

3.131(c)

Sanitation.

There is a turkey carcass lying on the ground in the "backyard" housing the majority of the goat herd, one adult kangaroo and one donkey.

The presence of dead and decaying animals can attract pests and vermin and be a source of disease-causing agents and odors. Premises must be kept clean and in good repair in order to protect the animals from illness and injury, and to facilitate the prescribed husbandry practices set forth in the Animal Welfare regulations.

CORRECTED DURING INSPECTION

This inspection and exit interview were conducted with facility representatives.

Prepared By: TAMILA STOTT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
14-OCT-2022

Received by Title: Facility Representative

Date:
14-OCT-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40533	85-C-0022	001	TOM W. RUNYAN	11-OCT-2022

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000042	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Osphranter rufus</i>	RED KANGAROO
000003	<i>Bos grunniens</i>	YAK
000004	<i>Bos primigenius indicus</i>	ZEBU
000004	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000005	<i>Lama glama</i>	LLAMA
000007	<i>Lama pacos</i>	ALPACA
000001	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000076	Total	