



Inspection Report

Temple Of Isis
20889 Geyserville Ave.
Geyserville, CA 95441

Customer ID: **328120**
Certificate: **93-C-1014**
Site: 001
Temple of Isis

Type: ROUTINE INSPECTION
Date: 12-MAR-2019

3.125(a) REPEAT

FACILITIES, GENERAL.

The enclosures for the four exotic felines were in need of repair:

- Wire mesh panels are damaged or rusted, exposing pointed wire ends, brittle rusted wire that was falling into pieces, and openings that pose a risk of entanglement or escape.

- In the enclosure for "Mystery" the floor of the den is cement, and the paint is peeling, and the cement is pitted, appears porous, and is deteriorating. The condition of this surface makes it difficult to adequately clean and disinfect, especially since raw meat is often served on this surface.

- The enclosure between "Nurani" and "Kikitu" has wire mesh around a tree limb that has been patched, and has sharp point that could cause injury.

- In the enclosure for "Kikitu" there is some serious wood rot toward the ceiling that creates concern about the structural strength of the enclosure. In the enclosure for "Khonsu" there is rusted wire mesh above that results in pieces of wire dropping into the enclosure. These could become adhered to food and ingested.

Enclosures should be maintained in good repair in order to protect the animals from injury or escape.

3.125(c) REPEAT

FACILITIES, GENERAL.

In one storage shed the bedding straw was stored on the floor, and was strewn about, and a bag of shavings was open. Considering that this facility continues to battle a rodent problem, this storage does not adequately protect the bedding materials from vermin. In the small shed where the hay for the goats and alpaca are stored, there were many rodent droppings throughout the shed, and the hay is clearly not being adequately protected from vermin contamination.

Food and bedding should be stored in a manner which adequately protects it against deterioration, molding, or contamination by vermin. Failure to properly store animal food could be detrimental to the animals.

Prepared By: SMITH PAMELA, D V M USDA, APHIS, Animal Care

Date:
18-MAR-2019

Title: VETERINARY MEDICAL OFFICER 6036

Received by Title: DIRECTOR

Date:
18-MAR-2019



Inspection Report

This inspection was conducted on 3/12/19 with a facility representative. Paperwork was reviewed, and an exit interview occurred with the director on 3/18/19.

Prepared By: SMITH PAMELA, D V M USDA, APHIS, Animal Care

Date:
18-MAR-2019

Title: VETERINARY MEDICAL OFFICER 6036

Received by Title: DIRECTOR

Date:
18-MAR-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328120	93-C-1014	001	Temple of Isis	12-MAR-19

Count	Scientific Name	Common Name
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Felis silvestris catus</i>	CAT ADULT
000002	<i>Lama pacos</i>	ALPACA
000002	<i>Leptailurus serval</i>	SERVAL
000011	Total	