



Inspection Report

NEW YORK STATE PSYCHIATRIC INSTITUTE
1051 RIVERSIDE DRIVE
NEW YORK, NY 10032

Customer ID: **325904**

Certificate: **21-R-0223**

Site: 001

NEW YORK STATE
PSYCHIATRIC INSTITUTE

Type: ROUTINE INSPECTION

Date: 26-MAY-2022

3.84(c)

Cleaning, sanitization, housekeeping, and pest control.

Cagewash rooms had extensive sections of peeling paint, exposed seams, and damaged drywall, which was present on almost every section of the dirty side ceiling surface, including an approximately 2x1 inch hole completely through the drywall in that room. Damaged surfaces in cagewash areas impair proper sanitary practices and may contribute to contamination of animal cages and water bottles. Rooms used to facilitate required husbandry practices must be kept in good repair.

Dirty side ceiling to be repaired by 26 July 2022.

This inspection and exit interview were conducted with the facility representative.

Additional Inspectors:

Lemnique Wafer, Assistant Director

Prepared By: SARA TOBIAS

USDA, APHIS, Animal Care

Date:
26-MAY-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
26-MAY-2022



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 325904
Inspection Date: 26-May-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325904	21-R-0223	001	NEW YORK STATE PSYCHIATRIC INSTITUTE	26-MAY-2022

Count	Scientific Name	Common Name
000015	<i>Macaca mulatta</i>	RHESUS MACAQUE
000015	Total	