



## Inspection Report

Ira Z Stoltzfus  
Nancy T Stoltzfus  
9064 Townsendville Road  
Interlaken, NY 14847

Customer ID: **325271**  
Certificate: **35-A-0333**  
Site: 001  
IRA AND NANCY STOLTZFUS

Type: ROUTINE INSPECTION  
Date: 23-APR-2014

### 3.25(d)

#### FACILITIES, GENERAL.

There was an excessive amount of cobwebs, dust, and debris on the outside parts of enclosures and walls inside the building. Outside areas of enclosures must be cleaned regularly and kept free from accumulations of dust, debris, and cobwebs to decrease risk of vermin infestation, risk of sickness, and fire hazards.

Correct by May 21, 2014.

### 3.26(b)

#### FACILITIES, INDOOR.

Ventilation.

When the inspection was started, ammonia odors were strong enough that I could feel my eyes and throat burned lightly due to the odor. A ventilation fan was turned on and by the end of the inspection odors had improved. Strong ammonia odors can cause animals to get sick or do poorly. While maintaining temperatures between 60 and 85 degrees F, adequate air flow must be provided so that odors do not ever get to an uncomfortable level. Increased use of the fan and also cleaning enclosures more often can help decrease ammonia odors.

Correct by May 21, 2014.

Inspection and exit interview conducted with facility representative.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:  
14-MAY-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: CERTIFIED MAIL 7013 1710 0000 1433 6652

Date:  
14-MAY-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325271	35-A-0333	001	IRA AND NANCY STOLTZFUS	23-APR-14

Count	Scientific Name	Common Name
001406	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>001406</b>	<b>Total</b>	