



## Inspection Report

---

Levi Westendorp  
5875 M-66  
Nashville, MI 49073

Customer ID: **324080**  
Certificate: **34-C-0348**  
Site: 001  
MOOVILLE CREAMERY

Type: ROUTINE INSPECTION  
Date: 26-JUL-2017

---

### 3.130

#### **WATERING.**

The water receptacles for the brown Swiss cow and the enclosure with the 2 goats and one sheep have excessive algae growing in them. The algae is floating on top of the water.

If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animal.

Clean the water receptacles when algae accumulates in them. Excessive algae floating on top of the water is not considered potable water.

To be corrected by end of business.

This inspection and exit interview were conducted with an employee.

---

**Prepared By:** BONGARD CARRIE, A C I USDA, APHIS, Animal Care

**Date:**  
26-JUL-2017

**Title:** ANIMAL CARE INSPECTOR 1053

**Received by Title:** OWNER

**Date:**  
26-JUL-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324080	34-C-0348	001	MOOVILLE CREAMERY	26-JUL-17

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000007	<i>Capra hircus</i>	DOMESTIC GOAT
000004	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000006	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000020</b>	<b>Total</b>	