

## United States Department of Agriculture Animal and Plant Health Inspection Service

345141300370625 Insp id

## **Inspection Report**

Connie Braun Casey 12338 Hwy C C Festus, MO 63028 Customer ID: **321991** 

Certificate: 43-C-0315

Site: 001

CONNIE BRAUN CASEY

Type: ROUTINE INSPECTION

Date: 09-DEC-2014

#### 3.75(c)(3) REPEAT

#### HOUSING FACILITIES, GENERAL.

There were areas, both in and outside the enclosures, that have not been cleaned and sanitized properly or at appropriate frequencies.

#### Specifically:

\*In the pink room, in many areas where the bars met the walls/ceilings, there was a build-up of black grimy material and/or organic waste material.

In the blue enclosure, housing the smaller chimpanzee, there was buildup of black grimy material and/or organic waste on the wooden portion of the enclosure over the bars where the animals place their hands.

Within the yellow enclosure, there was caked up brown material covering the three metal bars installed in the ceiling.

- \* Proper and routine cleaning and sanitizing is necessary to prevent the attraction of pests and disease transmission.
- \*\*\* The licensee must ensure that all hard surfaces with which nonhuman primates come in contact are spot-cleaned daily and sanitized in accordance with Sec. 3.84 to prevent accumulation of excreta or disease hazards.

Furthermore, the licensee must ensure all other surfaces of housing facilities are cleaned and sanitized as often as necessary to satisfy generally accepted husbandry standards and practices.

## 3.77(b) REPEAT

#### SHELTERED HOUSING FACILITIES.

\* There was a strong ammonia odor upon entering the pink room. The licensee has an HVAC system for that room

Prepared By: ASHLEY MCINTOSH, D V M USDA, APHIS, Animal Care Date:

Title: VETERINARY MEDICAL OFFICER 6083

Received by Title: OWNER Date: 12-DEC-2014

Page 1 of 2

12-DEC-2014

2 020 20



## United States Department of Agriculture Animal and Plant Health Inspection Service

345141300370625 Insp\_id

## **Inspection Report**

but had not turned it on because the owner was concerned that it may make the room too cold for the animals.

- \*\* Poor ventilation can could even be harmful to the animals by allowing ammonia levels to get too high thus causing eye, throat and lung irritation.
- \*\*\* The licensee must ensure that animal facilities are sufficiently ventilated at all times to provide for the health and well-being of nonhuman primates and to minimize odors and ammonia levels.

An inspection was conducted on 9 December 2014.

An exit interview was conducted with facility representative.

#### **Additional Inspectors**

Heine William, Animal Care Inspector

Prepared By:ASHLEY MCINTOSH, D V MUSDA, APHIS, Animal CareDate:<br/>12-DEC-2014

Title: VETERINARY MEDICAL OFFICER 6083

Received by Title: OWNER Date:

12-DEC-2014



## United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 321991 Inspection Date: 09-DEC-14

# **Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
321991	43-C-0315	001	CONNIE BRAUN CASEY	09-DEC-14

Count	Scientific Name	Common Name
000002	Lemur catta	RING-TAILED LEMUR
000002	Macaca silenus	LION-TAILED MACAQUE *MALE
000002	Nomascus leucogenys	WHITE-CHEEKED GIBBON
000016	Pan troglodytes	CHIMPANZEE
000001	Papio hamadryas	HAMADRYAS BABOON
000013	Sapajus appella	BROWN CAPUCHIN / TUFTED CAPUCHIN
000036	Total	