



Inspection Report

Sea Lion Splash LLC
1027 N Ranch Road 783
Harper, TX 78631

Customer ID: **500549**
Certificate: **74-C-1121**
Site: 002
Sea Lion Splash LLC

Type: ROUTINE INSPECTION
Date: 09-MAY-2023

3.101(a)(1) Repeat

Facilities, general.

The set of stairs on the right side of the first inside pool housing 3 sea lions are not level .They are sitting at an angle to the deck creating a space at bottom of the stairs that could catch a flipper of a sea lion causing injury. Stairs not sitting level also may move with the weight of the largest animal in the pool. The stairs must be made level and the space reduced at the bottom to prevent animal injury and all housing facilities maintained in good repair to prevent injury .

CORRECT BY : 5/18/2023

3.101(a)(3)

Facilities, general.

There is a rough area on the left corner of the first wooden deck on the left of the first indoor pool housing 3 sea lions. The wood is exposed in this area and beginning to deteriorate . As wooden surfaces deteriorate they can no longer be properly cleaned. The surface of this deck must be repaired or replaced and all surfaces maintained as part of a regular ongoing maintenance program .

CORRECT BY : 5/18/2023

This inspection and exit briefing were conducted with a facility employee.

Prepared By: ELIZABETH PANNILL
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
11-MAY-2023

Received by Title: Employee

Date:
11-MAY-2023



Inspection Report

Additional Inspectors:

Laurie Gage, Field Zoological Species Specialist

Prepared By: ELIZABETH PANNILL
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
11-MAY-2023

Received by Title: Employee

Date:
11-MAY-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500549	74-C-1121	002	Sea Lion Splash LLC	09-MAY-2023

Count	Scientific Name	Common Name
000006	<i>Zalophus californianus</i>	CALIFORNIA SEA LION
000001	<i>Otaria byronia</i>	SOUTH AMERICAN SEA LION
000007	Total	