



Inspection Report

Kirsty Lee L L C
8311 N.E. 166th St.
Kenmore, WA 98028

Customer ID: **325396**
Certificate: **91-C-0138**
Site: 001
Kirsty Lee, L L C

Type: ROUTINE INSPECTION
Date: 03-MAY-2017

2.75(b)(1) REPEAT

RECORDS: DEALERS AND EXHIBITORS.

The facility has a method of documenting acquisitions and dispositions using the Record of Animals on Hand (Other than Dogs and Cats) (APHIS Form 7019). However, these records were incomplete and not up-to-date.

Accurate record keeping is essential to allow APHIS to accurately track animals and ensure that all animals are receiving proper care as required by the Animal Welfare Act. Additionally, specific information regarding sources for acquisition and disposition are necessary in the event of disease to facilitate tracking animal movement and to ensure animal health and welfare. The licensee must make, keep and maintain records which fully disclose information regarding all acquisitions and dispositions; including all births, deaths, and animals euthanized.

Previously cited on reports dated 4/29/2015, 11/30/2015 and 4/12/2016.

3.52(d) REPEAT

FACILITIES, OUTDOOR.

Due to construction on a neighboring property, a large section of the fence was removed. The fencing panels were stored against the side of the building.

Failing to maintain the fence would allow predators access to the animals.

Correct by re-building and maintaining the fence in proper working order.

The facility was previously cited under this regulation on 9/6/2016, 2/22/2017 and 4/5/2017.

3.53(c)(2) REPEAT

PRIMARY ENCLOSURES.

Two primary enclosures housing rabbits did not meet the minimum floor space.

One cage contained 6 rabbits, a female and weaned offspring. The female weighed 4.75 pounds. The offspring

Prepared By: SCHNELL MICHAEL, D V M USDA, APHIS, Animal Care

Date:
24-MAY-2017

Title: VETERINARY MEDICAL OFFICER 6100

Received by Title: SENT VIA E-MAIL

Date:
24-MAY-2017



Inspection Report

weighed between 1.75 and 2.0 pounds. The cage was approximately 30" x 30", or 6.5 square feet of floor space. The total minimum floor space required for these rabbits is 24 square feet. A second cage contained 4 rabbits weighing 3.0, 3.25, 3.25 and 3.5 pounds. The cage was approximately 24" x 30", or 5 square feet of floor space. The total minimum floor space required for these rabbits is 24 square feet. The weights were obtained from the Facility Representative, who weighed the rabbits using their scale.

Each rabbit housed in a primary enclosure shall be provided a minimum amount of floor space according to the Animal Welfare Act regulations. Housing rabbits in inappropriately-sized enclosures may stress the animals. This limited housing space can lead to increased susceptibility to disease, incompatibility, and fighting. Rabbits must be housed in enclosures with the minimum required floor space for their health and well-being.

The facility was previously cited under this regulation on 11/30/2015, 4/12/2016, 9/6/2016, 12/28/2016, 2/22/2017 and 4/5/2017.

3.125 REPEAT

FACILITIES, GENERAL.

A light fixture containing four fluorescent light bulbs was located adjacent to primary enclosures containing pregnant females and females with very young offspring. While a metal mesh guard was in place, pieces of glass could fall into the cages and could lead to injury to the rabbits should a bulb be broken.

A means of protecting the animals from potential bulb breakage must be used.

Previously cited on 04/05/2017

This inspection and exit briefing were conducted with a facility representative.

Prepared By: SCHNELL MICHAEL, D V M USDA, APHIS, Animal Care

Date:
24-MAY-2017

Title: VETERINARY MEDICAL OFFICER 6100

Received by Title: SENT VIA E-MAIL

Date:
24-MAY-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325396	91-C-0138	001	Kirsty Lee, L L C	03-MAY-17

Count	Scientific Name	Common Name
000130	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000130	Total	