



Inspection Report

Rodney L Bauman
134 Pauls Lane
Loysville, PA 17047

Customer ID: **13754**
Certificate: **23-A-0508**
Site: 002
RODNEY BAUMAN

Type: ROUTINE INSPECTION
Date: 22-FEB-2018

3.31(b)

SANITATION.

Housekeeping. The filters in the hamster rooms have a buildup of dust. There are piles of shavings and rodent pellets on the floor by the back wall in the hamster rooms. Animal facilities must be kept clean to ensure good quality of air for the animals and to prevent unnecessary disease risks. The dusty filters in animal rooms must be replaced or cleaned to allow good air control. The shavings and pellets on the floor must be removed to prevent pest problems. Correct by February 26, 2018.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
22-FEB-2018

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
22-FEB-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
13754	23-A-0508	002	RODNEY BAUMAN	22-FEB-18

Count	Scientific Name	Common Name
000272	<i>Cricetulus griseus</i>	CHINESE HAMSTER
002416	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
002368	<i>Phodopus campbelli</i>	CAMPBELL'S DESERT HAMSTER / RUSSIAN HAMSTER
001875	<i>Phodopus roborovskii</i>	ROBOROVSKI'S DWARF HAMSTER
000733	<i>Phodopus sungorus</i>	DJUNGARIAN / RUSSIAN WINTER WHITE DWARF HAMSTER
007664	Total	