



## Inspection Report

---

SUE ARNOLD  
14895 NW 30TH TERRACE  
OKEECHOBEE, FL 34972

Customer ID: **1895**  
Certificate: **58-C-0008**  
Site: 001  
SUE ARNOLD

Type: ROUTINE INSPECTION  
Date: 29-SEP-2021

---

### 2.40(a)(2)

#### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

There were several expired medications in the refrigerator and cupboards in the hospital area. These were expired short term such as June of 2021 as well as much older going back to 2017 and 2019. These medications need to be gone through and properly disposed of. If the attending veterinarian feels that they are still appropriate for use then she will need to re-label them with new expiration dates and sign off on the use of the medication(s).

Correct by: 10-30-2021

### 2.126

#### Access and inspection of records and property; submission of itineraries.

The records of acquisition, disposition, inventory, and veterinary care were unavailable at time of the inspection. Staff was unsure as to where the records were being kept and unable to locate them for the inspection. The inspector must be able to examine records required to be kept by the Act and the regulations in this part.

Correct by: 10-29-2021

### 3.125(a)

#### Facilities, general.

---

Prepared By: MEGAN ADAMS  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
30-SEP-2021

Received by Title: Facility Representative

Date:  
30-SEP-2021



## Inspection Report

---

The wood resting platform in the cougar enclosure is in disrepair. The wood on top is so clawed/chewed that holes exist. Wood splinters pose a risk of injury to the animal as well as possible ingestion of the material. Outdoor housing facilities shall be structurally sound and shall be maintained in good repair. This platform needs to be repaired, replaced or removed from the enclosure.

Correct by: 10-02-2021

### 3.125(b)

#### Facilities, general.

There were 5 light fixtures in the food prep area but three of the five were not working at time of the inspection. Lighting shall be uniformly distributed and of sufficient intensity to permit routine inspection and cleaning. Reliable and adequate electric power, if required to comply with other provisions of this subpart.

Correct by: 10-07-2021

### 3.125(c)

#### Facilities, general.

The walk-in cooler had a strong odor of spoilage. The floor was wet and broken. Water was filling in under the flooring and odors and food waste could be trapped under it. This flooring could also allow vermin in. The vent covering was rusted and water was dripping from the ceiling. Supplies of food shall be stored in facilities which adequately protect such supplies against deterioration, molding, or contamination by vermin. Refrigeration shall be provided for supplies of perishable food. This flooring needs to be repaired or replaced to prevent the water and food waste from becoming trapped underneath and to discourage vermin from entering. Repairs need to be addressed to prevent water from dripping into the food. The vent needs to be replaced so that it can be cleaned properly.

---

**Prepared By:** MEGAN ADAMS

USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR

**Date:**

30-SEP-2021

**Received by Title:** Facility Representative

**Date:**

30-SEP-2021



## Inspection Report

---

Correct by: 10-29-2021

### 3.130

#### Watering.

The two metal water bowls used for the fishing cats were green with algae. These bowls were setting in the full sun so the water is not staying cool. If the water is not palatable the animals won't drink enough for optimal health. All water receptacles shall be kept clean and sanitary.

Correct by: 09-30-2021

### 3.131

#### Sanitation.

In the caracal enclosure there were old white feces stuck in the right front corner between the enclosure chain mesh and the resting platform. Feces need to be removed as they can attract vermin and insects to the animal which are disease hazards. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. This needs to be removed and cleaned properly.

Correct by: 10-01-2021

This inspection and exit interview were conducted with the facility representative.

---

Prepared By: MEGAN ADAMS

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

30-SEP-2021

Received by Title: Facility Representative

Date:

30-SEP-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1895	58-C-0008	001	SUE ARNOLD	29-SEP-2021

Count	Scientific Name	Common Name
000002	<i>Callithrix jacchus</i>	COMMON MARMOSET
000003	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000002	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000002	<i>Urocyon cinereoargenteus</i>	GRAY FOX / GREY FOX
000002	<i>Vulpes zerda</i>	FENNEC FOX
000001	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000001	<i>Caracal caracal</i>	CARACAL
000001	<i>Leptailurus serval</i>	SERVAL
000006	<i>Lynx rufus</i>	BOBCAT
000002	<i>Prionailurus viverrinus</i>	FISHING CAT
000002	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000001	<i>Muntiacus reevesi</i>	REEVE'S MUNTJAC
000007	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000003	<i>Lontra canadensis</i>	NORTH AMERICAN RIVER OTTER
000001	<i>Procyon lotor</i>	RACCOON
000001	<i>Mephitis mephitis</i>	STRIPED SKUNK
000002	<i>Spilogale putorius</i>	EASTERN SPOTTED SKUNK
000004	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Eulemur fulvus</i>	BROWN LEMUR
000044	<b>Total</b>	



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
1895	58-C-0008	001	SUE ARNOLD	29-SEP-2021