



Inspection Report

Charles W Pluta
3120 215 St
Woodbine, IA 51579

Customer ID: **24025**
Certificate: **42-A-1024**
Site: 001
CHARLES PLUTA

Type: ROUTINE INSPECTION
Date: 08-MAY-2017

3.6(a)(2)(x)

PRIMARY ENCLOSURES.

In the building closest to the residence, there was one enclosure housing 2 dogs that had a hole in the wire mesh flooring approximately 1 inch by 3 inches in size with broken wires protruding into the open space.

Holes of that size with the broken wires could cause injury to the dogs' legs. The licensee must provide floors that are constructed in a manner that protects the dogs' feet and legs from injury, and that, if mesh, do not allow the dogs' feet to pass through the openings in the floor.

TO BE CORRECTED BY: May 12, 2017

3.11(b)(2) REPEAT

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Throughout the facility there were eight outdoor enclosures housing 25 dog that had not been cleaned or sanitized since October of 2016. The licensee stated that they put the bedding in the enclosures in October when the weather gets colder and adds bedding as needed throughout the winter without cleaning or disinfecting during that time.

The build-up of dirt, feces, bedding and debris can harbor diseases. The licensee must spot-clean all used primary enclosures, and food and water bowls daily and sanitize at least once every 2 weeks and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards.

This inspection and exit interview were conducted with the licensee and ACI Bartels.

Prepared By: BARTELS MARY, A C I USDA, APHIS, Animal Care

Date:
09-MAY-2017

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: CERTIFIED AND STANDARD MAILED

Date:
09-MAY-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
24025	42-A-1024	001	CHARLES PLUTA	08-MAY-17

Count	Scientific Name	Common Name
000115	<i>Canis lupus familiaris</i>	DOG ADULT
000076	<i>Canis lupus familiaris</i>	DOG PUPPY
000191	Total	