



## Inspection Report

---

CENTER FOR CONS & RESEARCH OF ENDANGERED WILDLIFE  
3400 VINE STREET  
CINCINNATI, OH 45220

Customer ID: **247**

Certificate: **31-R-0100**

Site: 001

CENTER FOR REPRODUCTION  
OF ENDANGERD WILDLIFE

Type: ROUTINE INSPECTION

Date: 08-AUG-2023

---

### 3.6(a)(2)(ii)

#### Primary enclosures.

Enclosures are not protecting animals from injury. Exposed electrical cords are in two enclosures that are each housing one adult cat. The cats have access to the electrical cords and could be injured as they could chew on the cord, ingest the cord, or become entangled. Primary enclosures must be constructed and maintained so that they protect the cats from injury. Correct by ensuring that the enclosures protect the animals from injury. Correct by 23-AUG-2023.

This inspection and exit interview were conducted with Facility Representatives.

---

Prepared By: JONATHAN TOMKOVITCH

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL  
OFFICER

Date:  
09-AUG-2023

Received by Title: Facility Representative

Date:  
09-AUG-2023



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
247	31-R-0100	001	CENTER FOR REPRODUCTION OF ENDANGERD WILDLIFE	08-AUG-2023

Count	Scientific Name	Common Name
000040	<i>Felis catus</i>	CAT ADULT
000001	<i>Felis catus</i>	CAT KITTEN
000041	<b>Total</b>	