



## Inspection Report

Henry Esh  
306 E Winter Road  
Loganton, PA 17747

Customer ID: **44842**  
Certificate: **23-A-0657**  
Site: 001  
HENRY ESH

Type: ROUTINE INSPECTION  
Date: 20-JUL-2018

### 3.28(c)(1)(iii)

#### PRIMARY ENCLOSURES.

There were two enclosures that provided 2304 square inches of floor space that did not provide the required floor space for the animals they housed. One enclosure housed 40 animals each requiring 60 square inches, totaling 2400 square inches needed. The second enclosure housed 42 animals each requiring 60 inches, totaling 2520 square inches needed.

Lack of proper space can cause injury and health issues, and impact growth. The licensee shall provided a minimum amount of floor space of 60 square inches for each guinea pig that is weaned to 350 grams in size, and 101 square inches for each guinea pig great than 350 grams and nursing females with litters.

To be corrected by: July 21, 2018

### 3.31(a)(1)

#### SANITATION.

All of the enclosures had a build up of brown residue on the walls of the enclosures and around the water nipples.

Lack of proper cleaning and sanitizing can harbor disease. Primary enclosures shall be cleaned and sanitized often enough to prevent an accumulation of excreta or debris: Provided, however, That such enclosures shall be sanitized at least once every 2 weeks in the manner provided in paragraph (a)(4) of this section.

To be corrected: July 27, 2018

This inspection and exit interview were conducted with the licensee.

Prepared By: BARTELS MARY, A C I USDA, APHIS, Animal Care

Date:  
20-JUL-2018

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: LICENSEE

Date:  
20-JUL-2018



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44842	23-A-0657	001	HENRY ESH	20-JUL-18

Count	Scientific Name	Common Name
000662	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>000662</b>	<b>Total</b>	