



Inspection Report

Paul E Weaver
740 Wollups Hill Rd
Stevens, PA 17578

Customer ID: **505831**
Certificate: **23-A-0696**
Site: 001
Paul E Weaver

Type: ROUTINE INSPECTION
Date: 11-MAR-2024

3.31(a)(1)

Sanitation.

There is a buildup of brown debris and staining on the lower walls of the guinea pig enclosures. Inadequate cleaning and sanitation of the primary enclosures can expose the guinea pigs to disease hazards such as bacterial and fungal diseases. Correct by ensuring that all primary enclosures are kept clean and sanitized often enough to prevent a buildup of dirt and debris. In addition, primary enclosures must be sanitized at least once every two weeks. Correct by March 13, 2024.

This inspection was conducted with the facility representative and the exit interview was conducted with a family member.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
11-MAR-2024

Received by Title: Family Member

Date:
11-MAR-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
505831	23-A-0696	001	Paul E Weaver	11-MAR-2024

Count	Scientific Name	Common Name
000045	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000045	Total	