



Inspection Report

Beth Bishop
1804 South Racine
Chicago, IL 60608

Customer ID: **2749**
Certificate: **33-C-0039**
Site: 001
BETH BISHOP

Type: ROUTINE INSPECTION
Date: 13-MAR-2014

3.125(a)

FACILITIES, GENERAL.

(a) Structural strength

There is not an enclosure at the facility that is strong enough to house the tamandua. The animal was discovered wondering throughout the animal room unsupervised at the start of the inspection. The tamandua was placed into two different enclosures and escaped from both of enclosures during the time of inspection. The first was a large veri kennel type travel enclosure. The second was an enclosure constructed from cyclone wire fencing. The tamandua must not be allowed to wonder through the animal room unsupervised as it could potential injure itself.

Assure that the animal is contained in an appropriate enclosure that is strong enough to contain it.

Note: The animal was placed in a temporary enclosure that appeared to contain it during the time of inspection.

The inspection exit briefing was conducted with the facility owner.

Prepared By: CHAD MOORE, A C I USDA, APHIS, Animal Care

Date:
14-MAR-2014

Title: ANIMAL CARE INSPECTOR 1046

Received by Title: OWNER

Date:
14-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2749	33-C-0039	001	BETH BISHOP	13-MAR-14

Count	Scientific Name	Common Name
000001	<i>Atelerix albiventris</i>	HEDGEHOG
000006	<i>Chinchilla lanigera</i>	CHINCHILLA
000001	<i>Choloepus didactylus</i>	LINNAEUS'S TWO-TOED SLOTH
000002	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000001	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000001	<i>Tamandua tetradactyla</i>	SOUTHERN TAMANDUA
000014	Total	