



Inspection Report

Washington State University
Office Of The Campus Veterinarian
P O Box 641165
Pullman, WA 99164

Customer ID: 1026
Certificate: 91-R-0002
Site: 002
Vancouver Campus

Type: ROUTINE INSPECTION
Date: 25-JUN-2018

3.131(a) REPEAT

SANITATION.

The anteroom of the smaller bat enclosure has a 3-tier cage that is dirty. The top two tiers are covered in fecal matter. The cage was reported to not have been used for a long time. The temporary caging was not cleaned since it was last used.

Dirty surfaces pose a risk of soiling of the animals, and of contamination and disease spread via the feed, some of which is stored in the ante room.

This repeat NCI was discussed with the PI on 6/27/2018.

This inspection was conducted with facility personnel. Exit briefing was conducted with the PI per telephone on 6/27.

Prepared By: HALLBERG GWYNN, D V M USDA, APHIS, Animal Care

Date:
02-JUL-2018

Title: VETERINARY MEDICAL OFFICER 5036

Received by Title: FACILITY REPRESENTATIVE

Date:
02-JUL-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1026	91-R-0002	002	Vancouver Campus	25-JUN-18

Count	Scientific Name	Common Name
000020	<i>Carollia perspicillata</i>	SEBA'S SHORT-TAILED BAT
000020	Total	