



## Inspection Report

Patricia Kiehn  
3175 Erle Rd.  
Marysville, CA 95901

Customer ID: **328620**  
Certificate: **93-C-1040**  
Site: 001  
Patricia Kiehn

Type: ROUTINE INSPECTION  
Date: 15-JAN-2015

### 3.125(a) REPEAT

#### FACILITIES, GENERAL.

The pig enclosure has a picket fence, approximately 16 inches high, that runs inside at the bottom of the woven wire enclosure. This fence is on the East and West sides of the enclosure. This fence has lost some of the pickets. Nail heads are now exposed where the pickets were. The picket fence inside the llama pen also has a several boards missing with a few nail heads being exposed.

The fencing must be constructed of such material and of such strength as appropriate for the animals involved. The fencing, pen and sheds must be maintained in good repair to protect the animals from injury and to contain the animals. A program is needed to routinely inspect and repair the fencing, the pen and the structures within it.

The general citation (Section 3.125(a) Facilities, general, structural strength) was cited on August 11, 2014. And, it was to be corrected by September 1, 2014. This is a repeat of the general citation.

An exit briefing was conducted with the facility representative

Prepared By: STEVE DRLICA, D V M USDA, APHIS, Animal Care

Date:  
20-JAN-2015

Title: VETERINARY MEDICAL OFFICER 5004

Received by Title: OWNER

Date:  
20-JAN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328620	93-C-1040	001	Patricia Kiehn	15-JAN-15

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000006	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000011</b>	<b>Total</b>	