



Inspection Report

Whitneys Farm Market
221 Ingalls Rd
Cheshire, MA 01225

Customer ID: **325284**

Certificate: **14-C-0122**

Site: 001

WHITNEYS FARM MARKET

Type: ROUTINE INSPECTION

Date: 27-SEP-2017

3.125(a) REPEAT

FACILITIES, GENERAL.

Outdoor Housing Facilities.

The following structural issues identified in the pig's enclosure need to be addressed for the safety and health of the animal.

**The ends of the zip ties used to secure the hardware cloth to the metal hog panel sides of the pen were still long and had not been trimmed since the last inspection. Some of the long ends of the zip ties had teeth marks from being chewed by the animal and at least 2 of the zip ties were shorter and had a jagged edge. The zip tie material can act as a foreign body if ingested by the pig.

**The right and front sides of the pen each had an area at ground level where the hardware cloth had detached from the hog panel, was curling up and outward into the pen, and the metal hardware cloth had sharp points that can cause injury to the face, eyes, or snout of the animal.

Per this Section of the Regulations, outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury.

NOTE - Exit briefing held on-site 9/27/17 with representative of the Licensee and by phone on 9/28/17 with the Licensee. Report delivered by e-mail 9/29/17.

Prepared By: GLADUE PAULA, V M D USDA, APHIS, Animal Care

Date:
29-SEP-2017

Title: VETERINARY MEDICAL OFFICER 1054

Received by Title: REPORT DELIVERED BY EMAIL 9/29/17

Date:
29-SEP-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325284	14-C-0122	001	WHITNEYS FARM MARKET	27-SEP-17

Count	Scientific Name	Common Name
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000008	Total	