



Inspection Report

Richard Evola
11660 Grass Lake Road
HILLSDALE, MI 49242

Customer ID: **11268**
Certificate: **34-C-0169**
Site: 002
RICHARD EVOLA

Type: ROUTINE INSPECTION
Date: 21-JUL-2022

2.40(b)(2)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

The licensee has two female zebu that have severely overgrown hooves on all four limbs.

Each exhibitor shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, and treat diseases and injuries.

Hooves need to be trimmed as often necessary to prevent overgrowth that can lead to pain, injury and/or gait abnormality.

To be corrected by August 11, 2022

3.80(a)(2)

Primary enclosures.

-The three ring-tailed lemurs in sheltered housing have two areas of their outside enclosure fencing that have sharp points. One of these areas is caused by a hole in the wire fence and measures approximately 3" by 3", and the other area is caused by a piece of wire covering a hole in the wire fence and it measures approximately 4" by 4".

Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound for the

Prepared By: CARRIE BONGARD
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
29-JUL-2022

Received by Title: Facility Representative

Date:
29-JUL-2022



Inspection Report

species of nonhuman primates contained in them. They must be kept in good repair. Primary enclosures must be constructed and maintained so that they have no sharp points or edges that could injure the nonhuman primates and protect the nonhuman primates from injury.

Ensure that all areas of non-human primate facilities are kept in good repair to prevent injury to the animals.

To be corrected by July 25, 2022.

3.84(c)

Cleaning, sanitization, housekeeping, and pest control.

There is an approximately 10" by 2" section of flooring on the inside portion of the sheltered housing for the two grivets and three ring-tailed lemurs. This area of flooring is directly in front of the grivet door.

Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair in order to protect the nonhuman primates from injury, to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents, pests, and vermin.

Facilities must be maintained in good repair to prevent to prevent injury, and reduce the risk of pests from entering the facility.

To be corrected by July 30, 2022

3.84(d)

Cleaning, sanitization, housekeeping, and pest control.

Prepared By: CARRIE BONGARD
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
29-JUL-2022

Received by Title: Facility Representative

Date:
29-JUL-2022



Inspection Report

When entering the small space inside the sheltered area for the two grivets, and three ring-tailed lemurs there were excessive flies. There was no method to control or reduce the flies in this area.

An effective program for control of insects must be established and maintained so as to promote the health and well-being of the animals and reduce contamination by pests in animal areas.

An effective program to control/eliminate fly infestation must be established and maintained.

To be corrected by July 22, 2022

3.130 **Direct** **Repeat**

Watering.

-There was no water in the water trough for the zebu, and the trough was completely dry.

The licensee added water to the trough and the female zebu that is still nursing a calf drank for 31 seconds straight.

-The water receptacle for the three African crested porcupines has a large accumulation of green organic material in two corners and one side of the water receptacle.

If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animal. Frequency of watering shall consider age, species, condition, size, and type of the animal. All water receptacles shall be kept clean and sanitary.

If water is not accessible at all times, it must be offered as often as necessary for the health and comfort of the animal. It

Prepared By: CARRIE BONGARD
USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:
29-JUL-2022

Received by Title: Facility Representative

Date:
29-JUL-2022



Inspection Report

is especially important that water is available to female animals with nursing young. Clean water receptacles as often as necessary to keep them clean and sanitary.

This inspection and exit interview were conducted with a facility representative.

Additional Inspectors:

Kira Wagner, VETERINARY MEDICAL OFFICER

Prepared By: CARRIE BONGARD
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
29-JUL-2022

Received by Title: Facility Representative

Date:
29-JUL-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
11268	34-C-0169	002	RICHARD EVOLA	21-JUL-2022

Count	Scientific Name	Common Name
000003	<i>Felis silvestris catus</i>	CAT ADULT
000005	<i>Callithrix jacchus</i>	COMMON MARMOSET
000004	<i>Chlorocebus aethiops</i>	AFRICAN GREEN MONKEY / GRIVET
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Vulpes zerda</i>	FENNEC FOX
000003	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000006	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000006	<i>Lama glama</i>	LLAMA
000007	<i>Lama pacos</i>	ALPACA
000004	<i>Bos primigenius indicus</i>	ZEBU
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000002	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000004	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Osphranter rufus</i>	RED KANGAROO
000002	<i>Leptailurus serval</i>	SERVAL
000001	<i>Boselaphus tragocamelus</i>	NILGAI
000071	Total	