



## Inspection Report

Joe Breckenridge  
658 Dogwood Tree Rd.  
Reeds Spring, MO 65737

Customer ID: 321425  
Certificate: 43-A-5519  
Site: 001  
JOE BRECKENRIDGE

Type: ROUTINE INSPECTION  
Date: 08-MAR-2016

### 3.1(f)

#### HOUSING FACILITIES, GENERAL.

Drainage and Waste Disposal.

An outdoor enclosure housing two Boston terriers had standing water at the front of the pen as the result of rain the previous day. Improper drainage can result in wet dogs, odors, insects, and disease hazards. The licensee must ensure that enclosures are constructed so that water is rapidly eliminated so animals stay dry and disease hazards are reduced.

TO BE CORRECTED BY APRIL 8, 2016.

### 3.4(b)

#### OUTDOOR HOUSING FACILITIES.

Shelter from the elements.

Two outdoor enclosures housing a total of 4 dogs did not provide shade in addition to the shelter structures. A lack of shade can cause dogs to become overheated. The licensee must ensure that each outdoor enclosure provides one or more areas of shade, large enough to contain all the animals in the enclosure at one time.

TO BE CORRECTED BY MARCH 15, 2016.

### 3.6(a)(2)(10) DIRECT

#### PRIMARY ENCLOSURES.

The feet and legs of 5-day-old puppies were observed to fall through the openings of the mesh flooring in their enclosure in the whelping building. This situation can result in entrapment or injury to the puppies. The licensee must ensure that flooring is constructed in a manner to protect dogs' feet and legs from injury.

TO BE CORRECTED ON MARCH 8, 2016.

### 3.6(c)(1)(3)

#### PRIMARY ENCLOSURES.

Prepared By: KONNIE PLUMLEE, D V M USDA, APHIS, Animal Care

Date:  
08-MAR-2016

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6031

Received by Title: LICENSEE

Date:  
08-MAR-2016



## Inspection Report

---

An adult miniature Australian Shepherd named Sapphire was housed in the whelping building in an enclosure that only allowed about 2 inches of space between the top of the dog's head and the top of the enclosure. Inadequate head space does not allow dogs to make natural postural movements. The licensee must ensure that all dogs have at least 6 inches of head space.

TO BE CORRECTED BY MARCH 10, 2016.

The inspection and the exit briefing were conducted with the licensee and with Alicia Graves, inspector for the MO Dept. of Agriculture.

---

**Prepared By:** KONNIE PLUMLEE, D V M     USDA, APHIS, Animal Care

**Date:**  
08-MAR-2016

**Title:** SUPERVISORY ANIMAL CARE SPECIALIST 6031

**Received by Title:** LICENSEE

**Date:**  
08-MAR-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321425	43-A-5519	001	JOE BRECKENRIDGE	08-MAR-16

Count	Scientific Name	Common Name
000020	<i>Canis lupus familiaris</i>	DOG ADULT
000007	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000027</b>	<b>Total</b>	