



Inspection Report

Jacqueline J Roesener
2969 Rd. T
Mcdonald, KS 67745

Customer ID: **43871**
Certificate: **48-A-2065**
Site: 001
JACQUELINE J. ROESENER

Type: ROUTINE INSPECTION
Date: 07-JAN-2015

3.1(a)

HOUSING FACILITIES, GENERAL.

There are electric heating pads being used in two whelping enclosures where the dogs have direct access to the electric power cords. Live power cords could shock the dogs if they were to bite into the cords. All electric cords must be protected from the dogs. Correct by 21 January 2015.

3.4(b)(4) DIRECT

OUTDOOR HOUSING FACILITIES.

There are four outdoor dog shelters that are provided with some bedding. The temperature at the time of the inspection was 19.2 degrees F as recorded by the inspector's Kestrel. At this temperature additional bedding is required. Lack of bedding may not allow the dogs to regulate their body temperature. All outdoor dog shelters must be provided with bedding when temperatures are below 50 degrees F and additional bedding when temperatures are below 35 degrees F. Correct by the close of business today.

This routine inspection and exit interview were conducted with the licensee.

Additional Inspectors

Shaver Margaret, Veterinary Medical Officer

Prepared By: KENDALL LUNDY, A C I USDA, APHIS, Animal Care

Date:
07-JAN-2015

Title: ANIMAL CARE INSPECTOR 4015

Received by Title: LICENSEE

Date:
07-JAN-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
43871	48-A-2065	001	JACQUELINE J. ROESENER	07-JAN-15

Count	Scientific Name	Common Name
000104	<i>Canis lupus familiaris</i>	DOG ADULT
000034	<i>Canis lupus familiaris</i>	DOG PUPPY
000138	Total	