



Inspection Report

AUSTIN AQUARIUM LLC
13530 N. Hwy 183 #101
AUSTIN, TX 78750

Customer ID: **331570**
Certificate: **74-C-1084**
Site: 001
AUSTIN AQUARIUM

Type: ROUTINE INSPECTION
Date: 24-MAY-2021

3.131(c)

Sanitation.

There are pitted and eroded areas on the surface of the flooring in the animal quarantine room . An enclosure with 2 mini pigs is in this room at time of the inspection. Debris is accumulating in the eroded area of the floor making sanitation difficult. The flooring needs to be repaired or replaced and maintained in good repair to facilitate husbandry practices.

CORRECT BY : 6/24/2021

This inspection and exit briefing were conducted with husbandry staff and managers.

Prepared By: ELIZABETH PANNILL
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
24-MAY-2021

Received by Title: Manager

Date:
24-MAY-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331570	74-C-1084	001	AUSTIN AQUARIUM	24-MAY-2021

Count	Scientific Name	Common Name
000005	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Choloepus hoffmanni</i>	HOFFMANN'S TWO-TOED SLOTH
000002	<i>Potos flavus</i>	KINKAJOU
000001	<i>Coendou prehensilis</i>	PREHENSILE-TAILED PORCUPINE
000001	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000005	<i>Varecia rubra</i>	RED RUFFED LEMUR
000003	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000002	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000001	<i>Marmota monax</i>	GROUNDHOG / WOODCHUCK
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000001	<i>Monodelphis domestica</i>	GREY SHORT-TAILED OPOSSUM
000025	Total	