



Inspection Report

Rachel Arnott
8520 Sioux Trail
Kissimmee, FL 34747

Customer ID: **326578**
Certificate: **58-C-1099**
Site: 001
FLORIDA S C L A W S

Type: ROUTINE INSPECTION
Date: 03-FEB-2015

3.125(a)

FACILITIES, GENERAL.

There are several areas on the ground (of various numbers & sizes) in all 3 fox enclosures where these animals have dug exposing the 2"x4" wire mesh underneath. There are several holes beneath this exposed wire mesh which now pose a risk of injury or entrapment.

The holes shall be filled in, and the wire mesh shall be covered to prevent injury. It is normal fox behavior to dig, so all ground surfaces of the fox enclosures shall be maintained or reconstructed to prevent these types of reoccurrences.

Correct by February 28, 2015

This inspection report could not be completed on-site due to connectivity issues. The exit interview was conducted with the licensee on-site, and this inspection report will be E mailed.

Prepared By: ROBERT BRANDES, D V M USDA, APHIS, Animal Care

Date:
03-FEB-2015

Title: VETERINARY MEDICAL OFFICER 2002

Received by Title: SENT BY E MAIL

Date:
03-FEB-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326578	58-C-1099	001	FLORIDAS C L A W S	03-FEB-15

Count	Scientific Name	Common Name
000003	<i>Lynx rufus</i>	BOBCAT
000001	<i>Mephitis mephitis</i>	STRIPED SKUNK
000001	<i>Potos flavus</i>	KINKAJOU
000006	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000011	Total	