



## Inspection Report

Philip G Smith  
P.O. Box 309  
Piru, CA 93040

Customer ID: **8609**  
Certificate: **93-C-0657**  
Site: 001  
PHILIP SMITH

Type: ROUTINE INSPECTION  
Date: 15-JUL-2014

### 2.40(b)(2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Several vials and bottles of expired injectable medications (for example, a bottle of Dipyrone expired on 02/17/11 and a vial of Clostridium vaccine expired on 10-06-2011) were comingled with other medications in a refrigerator. Without properly labeling the medications as being expired and placing them in a separate area they may be unintentionally used on regulated animals.

Correct by 07/18/2014

### 3.53(a) DIRECT REPEAT

#### PRIMARY ENCLOSURES.

Rabbit enclosures are not structurally sound and maintained in good repair. Although some repairs have been made the wire floors continue to have holes up to 4 inches wide. Wire mesh on walls and tops have broken ends extending into enclosures, and holes and gaps. Solid walls have holes, are chewed, and have peeling paint. Failure to maintain primary enclosures in good repair can lead to injury to rabbits, including falling through floors, puncture wounds from wires, and trapping limbs in holes and gaps. A system of maintenance and repair must be in place. ORIGINAL CORRECTION DATE OF 5-8-14

### 3.55 REPEAT

#### WATERING.

Rabbits: water bottles hanging on cages had a heavy buildup of algae, to the point that it was not possible to see the water in the bottles. All watering receptacles shall be sanitized when dirty, and at least once every 2 weeks. The level of buildup of algae indicated these bottles had not been sanitized when dirty, or in the last two weeks. ORIGINAL CORRECTION DATE OF 5-2-14

### 3.56 REPEAT

#### SANITATION.

Rabbit enclosures have a buildup of excreta, especially in corners and along edges. Primary enclosures shall be

Prepared By: TYLER FIELDS, D V M USDA, APHIS, Animal Care

Date:  
17-JUL-2014

Title: VETERINARY MEDICAL OFFICER 6082

Received by Title: SENT BY EMAIL

Date:  
17-JUL-2014



## Inspection Report

---

kept reasonably free of excreta, hair, cobwebs and other debris by periodic cleaning. The cleaning schedule for these enclosures is inadequate, as evidenced by the buildup present. Additionally, several enclosures have peeling paint and raw wood that would prevent sanitation as required every 30 days. A system of cleaning and sanitation must be in place.

ORIGINAL CORRECTION DATE OF 5-5-14

### 3.125(a)

#### FACILITIES, GENERAL.

A pen, which is referred to as the maternity pen, housing adult and adolescent goats contained a wooden shelter box which had two large holes on the top of it. The box used in this pen is not being kept in good repair or condition and a goat could potentially step into the holes and cause injury to its limb. The box should be replaced or kept in good repair. Maintenance problems should be identified and fixed in a timely manner to keep the facilities in good repair and protect the animals from injury.

Correct by 07/25/2014.

### 3.125(c)

#### FACILITIES, GENERAL.

A food freezer converted to use as a dry food storage container did not properly close and form a tight seal to protect the food. Insects were observed in an area of entrapped spilled food in a corner of the freezer. Supplies of food should be stored in facilities which adequately protect the food against access or contamination by pests and vermin. The food storage container should be replaced, repaired, or maintained in a manner that allows a properly sealed closure.

Correct by 08/18/2014

### 3.130 REPEAT

#### WATERING.

Reindeer enclosure: water present is opaque from dirt and algae. Water must be potable, and receptacles must be clean and sanitary. Opaque water is not potable, and may conceal items in receptacle. A system of routine cleaning must be in place to ensure potable water is available.

ORIGINAL CORRECTION DATE OF 5-7-10, ALSO IDENTIFIED ON INSPECTION OF 11-2-12 AND ON 04-28-2014

Exit interview conducted with facility personnel.

---

Prepared By: TYLER FIELDS, D V M USDA, APHIS, Animal Care

Date:  
17-JUL-2014

Title: VETERINARY MEDICAL OFFICER 6082

Received by Title: SENT BY EMAIL

Date:  
17-JUL-2014



## Inspection Report

---

### Additional Inspectors

Lorang Jeanne, Animal Care Inspector

---

**Prepared By:** TYLER FIELDS, D V M     USDA, APHIS, Animal Care

**Date:**  
17-JUL-2014

**Title:** VETERINARY MEDICAL OFFICER 6082

**Received by Title:** SENT BY EMAIL

**Date:**  
17-JUL-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8609	93-C-0657	001	PHILIP SMITH	15-JUL-14

Count	Scientific Name	Common Name
000006	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000001	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000004	<i>Canis lupus familiaris</i>	DOG ADULT
000065	<i>Capra hircus</i>	DOMESTIC GOAT
000003	<i>Lama glama</i>	LLAMA
000003	<i>Lama pacos</i>	ALPACA
000028	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000053	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Rangifer tarandus</i>	REINDEER
000003	<i>Sus scrofa</i>	WILD BOAR
000007	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000176</b>	<b>Total</b>	