



Inspection Report

SAMUEL STOLTZFUS
305 FREMONT ROAD
NOTTINGHAM, PA 19362

Customer ID: **42797**
Certificate: **23-A-0474**
Site: 001
SAMUEL STOLTZFUS

Type: ROUTINE INSPECTION
Date: 04-NOV-2020

3.28(c)(1)(iii)

Repeat

Primary enclosures.

Space. Insufficient space was being provided in 13 enclosures housing 15 guinea pig weanlings in each enclosure. Enclosures measure 30 inches by 28.5 inches or 855 square inches. The food bowl (6.25 inches in diameter) took up an additional 30.66 square inches of floor space leaving a total of 824.34 square inches. Weanlings up to 350 grams require at least 60 square inches of floor space each.

Inadequate space can cause stress, crowding, and aggression in animals. Licensee must ensure that guinea pigs are provided with at least the minimum space requirements to prevent stress, crowding, and discomfort to the animals. Can not house more than 13 guinea pig weanlings in the current enclosures.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
04-NOV-2020

Received by Title: Licensee

Date:
04-NOV-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42797	23-A-0474	001	SAMUEL STOLTZFUS	04-NOV-2020

Count	Scientific Name	Common Name
002631	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
002631	Total	