



Inspection Report

Molly Collins
12505 Hwy 13
Erin, TN 37061

Customer ID: **325647**
Certificate: **63-C-0244**
Site: 001
MOLLY COLLINS

Type: ROUTINE INSPECTION
Date: 19-JAN-2016

3.127(b)

FACILITIES, OUTDOOR.

The temperature at the time of inspection was 21 deg. F. Two cavy live in a stall like enclosure under a three sided barn like structure (three walls and roof). One long side of the structure is completely open to the elements. There are two heat lamps present in one corner of the enclosure. Both cavy were noted going to sit underneath the heat lamps during the inspection. One of the cavy was noted exhibiting occasional shivering of the hindquarters. There is no shelter type structure or natural shelter in the enclosure where the cavy can go to escape the cold wind and cold drafts and to protect them from the discomfort of the cold. Although the heat lamps do provide some warmth, the cavy also need a warm shelter structure (natural or manmade) for protection from the cold. Correct by 1/20/16.

Exit conducted with undersigned facility representative.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care

Date:
19-JAN-2016

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE

Date:
19-JAN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325647	63-C-0244	001	MOLLY COLLINS	19-JAN-16

Count	Scientific Name	Common Name
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Lama glama</i>	LLAMA
000002	<i>Lama pacos</i>	ALPACA
000001	<i>Muntiacus muntjak</i>	INDIAN MUNTJAC
000003	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000018	Total	