



Inspection Report

Karen Silkwood
H C 1 Box 3597
Oxly, MO 63955

Customer ID: **7024**
Certificate: **43-A-5622**
Site: 001
KAREN SILKWOOD

Type: ROUTINE INSPECTION
Date: 13-MAR-2014

3.3(a)

SHELTERED HOUSING FACILITIES.

***The sheltered portion of the buildings had enclosures that were below 50 degrees F. The double deck kennel building on the south side of the kennel area had two enclosures on the bottom row that were approximately 40 degrees F. The enclosures containing heat lamps and the enclosures on the top row were above 50 degrees F. The kennel building on the north side had all but two enclosures that were below 50 degrees F. Outside air temperatures at the time of inspection were approximately 27 degrees F with the interior enclosures approximately 40 degrees F. All enclosures must be maintained at temperature levels above 50 degrees F to provide for the safety and comfort of the animals. To be corrected by: 03/13/14

This inspection and exit interview was conducted with the designated person.

Prepared By: WILLIAM MCGRUDER, A C I USDA, APHIS, Animal Care

Date:
13-MAR-2014

Title: ANIMAL CARE INSPECTOR 4047

Received by Title: DESIGNATED PERSON

Date:
13-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
7024	43-A-5622	001	KAREN SILKWOOD	13-MAR-14

Count	Scientific Name	Common Name
000013	<i>Canis lupus familiaris</i>	DOG ADULT
000013	<i>Canis lupus familiaris</i>	DOG PUPPY
000026	Total	