



## Inspection Report

City Of Bridgeton  
181 E Commerce Street  
Bridgeton, NJ 08302

Customer ID: **2053**  
Certificate: **22-C-0007**  
Site: 001  
COHANZICK ZOO

Type: ROUTINE INSPECTION  
Date: 25-MAY-2017

### 3.80(a)(1)

#### PRIMARY ENCLOSURES.

##### COMMON MARMOSETS:

Several areas in the ceiling, near the skylights, are cracking. Additionally, water damage is present around the interior framework of the two skylights. The cracks in the ceiling, as well as the damaged skylight framework, leave these areas in disrepair. These damaged areas must be repaired and sealed to keep them in good repair and to maintain the ability to sanitize the space properly.

TO BE CORRECTED BY: JULY 25, 2017

### 3.80(a)(2)(ix)

#### PRIMARY ENCLOSURES.

##### OWL MONKEY:

There are small areas of peeling paint on the side wall as well as on the bottom of the shift. These surfaces must be repaired and maintained so that they are readily sanitizable for the health and well-being of the owl monkey utilizing this space.

TO BE CORRECTED BY: JULY 25, 2017

### 3.84(c)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There is a large, dead tree limb hanging precariously over the Ring tailed lemur enclosure. Should this limb fall, it

Prepared By: WILLS KARLA, A C I USDA, APHIS, Animal Care

Date:  
05-JUN-2017

Title: ANIMAL CARE INSPECTOR 1014

Received by Title: SENT VIA E-MAIL

Date:  
05-JUN-2017



## Inspection Report

---

could damage the enclosure as well as injure the lemurs housed therein. This limb should be removed to prevent enclosure damage and to protect the lemurs from injury. TO BE CORRECTED BY: JUNE 15, 2017

### 3.125(b)

#### FACILITIES, GENERAL.

The junction box in the coatimundi building is no longer functioning. According to staff, sparks occurred in this junction box so the power was shut off. Currently, there is no light available inside of this building for proper husbandry and observations. Malfunctioning junction boxes are extremely dangerous for the coatimundi as well as the staff working in the building. This junction box must be repaired, by a licensed electrician, to ensure that the box is functioning properly and for the safety of the coatimundi housed therein.

Additionally, there is no power in the feed storage room. A licensed electrician must also repair the power in this room so that ample lighting is available. Ample lighting is necessary for the adequate inspection of feed supplies to ensure that it is wholesome and free of pests.

TO BE CORRECTED BY: JUNE 12, 2017

### 3.126(c)

#### FACILITIES, INDOOR.

Due to the malfunctioning junction box in the coatimundi building, there is no lighting inside of this building for the animals nor the staff. Ample lighting shall be provided for the coatimundi building in order to permit routine inspection and cleaning. Lighting of primary enclosures shall also be designed to protect the animals from excessive illumination.

TO BE CORRECTED BY: JUNE 12, 2017

This inspection and exit briefing were conducted with the facility representative.

---

Prepared By: WILLS KARLA, A C I USDA, APHIS, Animal Care

Date:  
05-JUN-2017

Title: ANIMAL CARE INSPECTOR 1014

Received by Title: SENT VIA E-MAIL

Date:  
05-JUN-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2053	22-C-0007	001	COHANZICK ZOO	25-MAY-17

Count	Scientific Name	Common Name
000001	<i>Aotus nigriceps</i>	BLACK-HEADED NIGHT MONKEY
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000004	<i>Callithrix jacchus</i>	COMMON MARMOSET
000002	<i>Callithrix kuhlii</i>	BLACK TUFTED-EAR MARMOSET
000003	<i>Canis lupus hallstromi</i>	NEW GUINEA SINGING DOG
000001	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000001	<i>Cuniculus paca</i>	LOWLAND PACA
000001	<i>Didelphis virginiana</i>	VIRGINIA OPOSSUM
000001	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000001	<i>Hylobates lar</i>	LAR GIBBON
000002	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000003	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Leptailurus serval</i>	SERVAL
000003	<i>Nasua narica</i>	WHITE-NOSED COATI
000002	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000002	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Panthera tigris</i>	TIGER
000002	<i>Potos flavus</i>	KINKAJOU
000003	<i>Prionailurus viverrinus</i>	FISHING CAT
000001	<i>Procyon lotor</i>	RACCOON
000002	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000001	<i>Ursus thibetanus</i>	ASIATIC BLACK BEAR
000002	<i>Vulpes zerda</i>	FENNEC FOX
<b>000043</b>	<b>Total</b>	