



Inspection Report

Ronald Parkey
2709 Lynx Rd.
Lebo, KS 66856

Customer ID: 41551
Certificate: 48-A-2110
Site: 001
Ronald Parkey

Type: ROUTINE INSPECTION
Date: 11-MAY-2015

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

* No expiration date was recorded on one bottle containing Cephalexin pills. This medication was intermingled with other products that are currently being used at the facility and is therefore ready for use. This medication was obtained from the attending veterinarian. Medications must be labeled with appropriate and accurate information to ensure that the contents of the container can be known with certainty. The effectiveness and expected results could be drastically changed or may not work as anticipated if the expiration date is unknown. The usage of any medication with an unknown expiration date on regulated animals is not considered to be an acceptable veterinary practice and does not constitute adequate veterinary care. The licensee must ensure that all medications used in the facility have a current expiration date recorded. Correct by 5/25/15.

* The following medication used to treat the dogs at the facility was past the labeled expiration date. The recorded expiration date on one bottle containing Metronidazole 250 mg pills was 11/2013. This medication was intermingled with other products that are currently being used at the facility and is therefore ready for use. The usage of expired drugs on regulated animals is not considered to be an acceptable veterinary practice and does not constitute adequate veterinary care. The effectiveness of the dosage level and expected results when expired drugs are administered could be drastically changed or may not work as anticipated. The licensee must ensure that all medications used on the dogs have not gone past the recorded expiration date. Correct by 5/25/15.

3.1(c)(1)(1)

HOUSING FACILITIES, GENERAL.

* Five galvanized metal gates and three galvanized metal divider panels are showing excessive rust. Eight dogs are in contact with the affected areas located in sheltered housing. The surfaces were rough in appearance. Rust can erode and deteriorate all metal surfaces to the point that the metal surfaces can no longer be readily cleaned and sanitized. Excessive rust affects the structural integrity of all metal surfaces. The licensee must ensure that this and all other surfaces are free of rust and of good structural strength. Correct by 6/11/15.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
12-MAY-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: 70113500000227439851

Date:
12-MAY-2015



Inspection Report

- * The facility inspection and verbal exit briefing done on 5/11/15 were conducted with the licensee.
- * Copy of inspection report was sent by certified and regular mail.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
12-MAY-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: 70113500000227439851

Date:
12-MAY-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
41551	48-A-2110	001	Ronald Parkey	11-MAY-15

Count	Scientific Name	Common Name
000014	<i>Canis lupus familiaris</i>	DOG ADULT
000014	Total	