



Inspection Report

Sea Lion Splash LLC
1027 N Ranch Road 783
Harper, TX 78631

Customer ID: **500549**

Certificate: **74-C-1121**

Site: TRA

Sea Lion Splash LLC TRA

Type: ROUTINE INSPECTION

Date: 11-OCT-2022

3.101(a)(3)

Facilities, general.

The wall board is chipped where the wall meets the floor on the dry resting area in the indoor pool area. The decking between the pools is chipping along the seams . The chipped areas have rough edges that may injure the animals . Surfaces must be maintained in good repair to protect the animals from injury .

These areas were repaired during inspection .

CORRECTED AT TIME OF INSPECTION

This inspection of Unit 1 and exit briefing were conducted with the licensee at Heart of Texas Fair , Waco Texas .

Prepared By: ELIZABETH PANNILL

USDA, APHIS, Animal Care

Date:
13-OCT-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
13-OCT-2022



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 500549
Inspection Date: 11-Oct-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500549	74-C-1121	TRA	Sea Lion Splash LLC TRA	11-OCT-2022

Count	Scientific Name	Common Name
000001	<i>Otaria byronia</i>	SOUTH AMERICAN SEA LION
000002	<i>Zalophus californianus</i>	CALIFORNIA SEA LION
000003	Total	