



Inspection Report

Gary Saurage
380 Old Bayou Pierre Rd.
Natchitoches, LA 71457

Customer ID: **6012155**
Certificate: **72-C-0249**
Site: 001
Gary Saurage

Type: ROUTINE INSPECTION
Date: 13-SEP-2022

3.27(b)

Facilities, outdoor.

Currently there are 11 guinea pigs housed in an outdoor enclosure without approval from The Deputy Administrator. Guinea pigs shall not be housed in outdoor facilities unless such facilities are located in an appropriate climate and prior approval for such outdoor housing is obtained from the Deputy Administrator. A request can be sent to the Regional Office. The guinea pigs shall be moved to an indoor enclosure that provide adequate climate control until approval is received.

To be corrected by October 6th, 2022

This inspection and exit interview were conducted with facility representative.

Prepared By: NIANET CARRASQUILLO
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
14-SEP-2022

Received by Title: Facility Representative

Date:
14-SEP-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6012155	72-C-0249	001	Gary Saurage	13-SEP-2022

Count	Scientific Name	Common Name
000001	<i>Myocastor coypus</i>	NUTRIA
000002	<i>Procyon lotor</i>	RACCOON
000003	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000011	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000003	<i>Axis axis</i>	AXIS DEER / SPOTTED DEER / CHITAL
000026	Total	