



Inspection Report

Lorilee Thomas
17454 Hwy K-9
Whiting, KS 66552

Customer ID: **324086**
Certificate: **48-B-0329**
Site: 002
Lorilee Thomas

Type: ROUTINE INSPECTION
Date: 03-OCT-2016

3.6(a)(2)(x)

PRIMARY ENCLOSURES.

***In the "G Building" a Rottweiler puppy's feet were passing through the mesh floor of the enclosure.

***In the "E Building" a litter of five Japanese Chin puppies' feet were passing through the mesh floor of the enclosure.

Surfaces that allow the feet to pass through can cause injury or inhibit the movement of the puppies. The licensee must construct the floors in a manner that does not allow feet and legs to pass through the openings in the floor.

TO BE CORRECTED BY: October 5, 2016

This inspection and exit interview were conducted with the licensee, ACI Bartels, and VMO Shaver.

Additional Inspectors

Shaver Margaret, Veterinary Medical Officer

Prepared By: MARY BARTELS, A C I USDA, APHIS, Animal Care

Date:
04-OCT-2016

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: EMAILED

Date:
04-OCT-2016



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|----------------|------------|
| 324086 | 48-B-0329 | 002 | Lorilee Thomas | 03-OCT-16 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------------|--------------|
| 000994 | <i>Canis lupus familiaris</i> | DOMESTIC DOG |
| 000994 | Total | |