



Inspection Report

Sue Stevens
4330 Hodgenville Road
GREENSBURG, KY 42743

Customer ID: **503465**
Certificate: **61-B-0144**
Site: 001
Sue Stevens

Type: ROUTINE INSPECTION
Date: 14-JUN-2023

3.6(b)(4)

Primary enclosures.

An enclosure containing one cat did not have an elevated resting surface. Another enclosure containing three cats had an elevated resting surface with space for only two cats. The lack of elevated resting spaces does not allow for normal feline behaviors nor offer an opportunity to avoid confrontation with other cats in the enclosure. Licensee must ensure that an adequate number of elevated resting surfaces are provide to accommodate all the felines in the enclosure at the same time to allow for normal feline behaviors, reduce stress and possible confrontation.

* To be corrected by: 7/5/2023

3.130

Watering.

Three different enclosures (2 servals, 1 caracal) had kiddie pools/bowl that had a build up of green material on the bottom and sides. There were also accumulations of this green organic build up floating in the water. The water contained within was not potable. Water receptacles need to be kept clean and sanitary to reduce stagnant water, minimize pests and harmful algae or bacterial growth. Licensee must ensure that all water receptacles are kept clean to allow for potable water access.

* To be corrected by 6/14/2023 (corrected at time of inspection)

This inspection and verbal exit interview were conducted with facility representative.

Prepared By: ANGELA DEPOE
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
22-JUN-2023

Received by Title: Facility Representative

Date:
22-JUN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503465	61-B-0144	001	Sue Stevens	14-JUN-2023

Count	Scientific Name	Common Name
000006	<i>Caracal caracal</i>	CARACAL
000014	<i>Leptailurus serval</i>	SERVAL
000008	<i>Felis sp</i>	DOMESTIC X EXOTIC CAT HYBRID
000001	<i>Felis catus</i>	CAT ADULT
000029	Total	