



Inspection Report

Shirley Farms
2557 South Bluff Rd
Obion, TN 38240

Customer ID: **44856**
Certificate: **63-C-0201**
Site: 001
SHIRLEY FARMS

Type: ROUTINE INSPECTION
Date: 04-APR-2016

2.40(a)(1) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written program of veterinary care dated 7-24-15 is still the most current version. No changes have been made since the last inspection. The program is still incomplete lacking information in many areas. There is no information regarding dosages and frequency of administration of any drugs for the control of internal, blood and external parasites and vaccines. There is simply a statement that the veterinarian does not administer these drugs.

Conversations with staff and the owner show that the animals are currently being dewormed orally and treated with fly spray. The section in the PC regarding capture methods states that rompum and ace are to be used but does not state who will be administering these drugs and if the facility staff is to do so what dosages they should use for the different species. There is nothing written regarding any TB testing of susceptible species to include some of the hoofstock and the non-human primates.

The facility and the attending veterinarian need to jointly decide on all preventative veterinary procedures, drugs and vaccines to be administered to the animals even if they are going to be administered by the facility staff. The instructions for these procedures, drugs and vaccines should be detailed in written form and then the facility shall ensure that they are followed. The facility shall document and maintain a written program of veterinary care approved by the attending veterinarian to ensure the appropriate health care for the animals at the facility.

3.75(c)(1)(1)

HOUSING FACILITIES, GENERAL.

The outside portion of the sheltered snow macaque housing has areas of excessive rust. The bottom corner nearest the currently empty large enclosure composed of a solid sheet of metal has a rusty area approximately 1 ft x1 ft. The rust has led to structural instability with the sheet metal no longer attached to the metal bar at the bottom. The edge of the sheet metal is jagged and is loose. There is also rust, some pitted, of the bars forming the lower part of the caging between the two macaque enclosures. The presence of excessive rust prevents the required cleaning and sanitization and affects the structural strength of the surface. The macaques can also injury themselves on the jagged loose metal surface. Correct by maintaining the surfaces such that they can be readily cleaned and sanitized and such that they are structurally sound. Correct by 5/15/16.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care

Date:
04-APR-2016

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE

Date:
04-APR-2016



Inspection Report

3.125(a) REPEAT

FACILITIES, GENERAL.

The following enclosures are not structurally sound and are in need of maintenance:

*The fencing of the water buffalo enclosure needs some repair. One section consists of wooden boards that are leaning due to a loose post. The fence post is rotted.

*The fencing for the deer enclosure needs repair. One fence post is loose with separation between the metal parts of the post leading to leaning of the fence.

Loss of structural integrity of fencing materials can lead to enclosures that are not sound allowing animals to escape or other animals to enter and may lead to injury of the animals. Outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

3.127(b) REPEAT

FACILITIES, OUTDOOR.

The enclosure currently housing the African Crested porcupine does not sufficiently provide protection from the elements. The damaged pet taxi type crate with the damage to the top has been replaced but there are still openings for ventilation on three sides and one side is completely open (where door usually is). The numerous openings do not keep out the cold, wind and rain. Lack of adequate protection from the elements can lead to discomfort and potential distress. Facility representative stated she has some extra tin roofing material she can use to protect the area the crate is in but has not yet completed the project. The porcupine needs to be supplied with shelter appropriate for the animal to afford it protection from and to prevent discomfort from inclement weather.

Exit conducted with undersigned facility representative.

Prepared By: SUSANNE BRUNKHORST, D V M USDA, APHIS, Animal Care

Date:
04-APR-2016

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE

Date:
04-APR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44856	63-C-0201	001	SHIRLEY FARMS	04-APR-16

Count	Scientific Name	Common Name
000001	<i>Ateles geoffroyi</i>	BLACK-HANDED SPIDER MONKEY
000002	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000002	<i>Callithrix jacchus</i>	COMMON MARMOSET
000006	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000004	<i>Dama dama</i>	FALLOW DEER
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000001	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000001	<i>Lama glama</i>	LLAMA
000002	<i>Macaca fuscata</i>	JAPANESE MACAQUE *MALE
000003	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000023	Total	