



## Inspection Report

Gina Westercamp  
Po Box 2422  
Fairfield, IA 52556

Customer ID: **32797**  
Certificate: **42-A-1147**  
Site: 001  
GINA WESTERCAMP

Type: ROUTINE INSPECTION  
Date: 03-MAY-2016

---

### 2.40(b)(2) DIRECT REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A female poodle (057581320) was observed to be excessively licking her mouth and the hair around the front of her mouth had become wet. Closer observation of the dog revealed at least one loose upper front tooth that was easily moved when touched by the inspector. The surfaces of the cheek teeth are covered in a grey/brown material and there is a grey creamy substance along the gum line. Approximately one-fourth of the surface of the upper canine teeth and the majority of the surface of the upper front teeth are also covered in the grey/brown material. The gums are moderately reddened. Poor dental health can cause pain and discomfort to the dog as well as lead to further health complications.

This dog must be evaluated by a licensed veterinarian for proper diagnosis and treatment plan. The diagnosis and treatment plan must be documented and available to the inspector upon request. The licensee must ensure that all dogs receive adequate veterinary care at all times.

A female Chihuahua (0A02552969) has extremely long, overgrown toenails. The toenails have become so long that they have begun to curl under. Overgrown toenails can cause pain and discomfort to the dog as well as affect the dog's natural gait.

The licensee must have this dog's toenails trimmed to an acceptable length. The licensee must establish an effective plan for the maintenance and care of the toenails of all dogs to ensure that they are kept at an acceptable length at all times.

### 3.1(a) REPEAT

#### HOUSING FACILITIES, GENERAL.

In one enclosure, containing one adult dog and two puppies, there is a heat lamp that has become detached from the enclosure and is lying on the floor of the enclosure. The heat lamp contains a glass bulb and is plugged in and turned on while lying on the floor. A puppy is lying near the heat lamp and the adult dog is moving around the heat lamp. Heat lamps and glass bulbs that can come into contact with the dogs can result in injury and burns. The

---

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:  
04-MAY-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: FACILITY REPRESENTATIVE

Date:  
04-MAY-2016



## Inspection Report

---

licensee reattached the heat lamp to the top of the enclosure during the inspection.

Another enclosure, containing one adult dog, has a heat lamp cord that is attached to the top of the interior of the enclosure. The cord is attached with wire and the wire has become detached from the enclosure top and the cord is hanging down into the enclosure. The wire still wrapped around the cord has created a sharp point that can come into contact with the dog.

One enclosure, containing one adult dog and two puppies, has a small section of wire that has been cut and placed against the whelping box to keep it from moving. The cut section of wire has resulted in multiple sharp points at the level of the dog and puppies.

One enclosure, containing three dogs, has a broken piece of metal framing that is directly beneath the access door. The broken metal has resulted in jagged edges and sharp points that the dogs could come into contact with when they move through the access door.

Sharp points and jagged edges could cause injury to the dogs. Housing facilities for dogs must be designed and constructed so that they protect the animals from injury. The licensee must repair, replace, or alter the sharp points and jagged edges in a manner that eliminates the injury risk towards the dogs. The licensee must ensure that all enclosures remain safe for the animals at all times.

### 3.1(c)(2)

#### HOUSING FACILITIES, GENERAL.

One enclosure, containing three dogs, has a plastic feeder attached to the wall. The dogs have excessively chewed the top and bottom of this feeder and the sides of the feeder are extensively scratched.

Another enclosure, containing four dogs, has plastic covering the walls of the indoor section of the enclosure. The dogs have excessively chewed and torn the plastic above the access door. The damaged plastic has created a section of exposed wood and the dogs have begun chewing on the wood.

One enclosure, containing two dogs, has plastic covering the inside of the shelter. The dogs have excessively chewed and torn the plastic that is framing the access door of the shelter.

Chewed and damaged surfaces cannot be adequately cleaned and sanitized. All surfaces must be maintained on a regular basis. Surfaces that cannot be readily cleaned and sanitized must be replaced when they are worn or soiled. The licensee must replace the chewed and damaged surfaces or alter them in a manner that allows for adequate cleaning and sanitizing to occur. The licensee must ensure that all surfaces are kept in good repair at all times.

---

**Prepared By:** KELLY MAXWELL, A C I USDA, APHIS, Animal Care

**Date:**  
04-MAY-2016

**Title:** ANIMAL CARE INSPECTOR 6080

**Received by Title:** FACILITY REPRESENTATIVE

**Date:**  
04-MAY-2016



## Inspection Report

---

Correction date: May 18, 2016

### 3.6(a)(2)(10) REPEAT

#### PRIMARY ENCLOSURES.

In one enclosure two small puppies were observed to be out of their whelping box and lying on the wire floor. One puppy's right front leg has passed through an opening in the floor and the puppy was seen to struggle in an attempt to move. Openings in the flooring that are large enough to allow an animal's leg to pass through can cause injury to the animal.

Primary enclosures must have floors that are constructed in a manner that protects the dogs' feet and legs from injury and do not allow the dogs' feet to pass through openings in the floor. The licensee must replace the flooring or alter it in a manner that does not allow the puppy's feet or legs to pass through. The licensee must ensure that the enclosure flooring is safe for the dogs at all times. The licensee moved both puppies back into the whelping box during the inspection.

Exit interview conducted with Kelly Maxwell, ACI and the facility representative.

---

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:  
04-MAY-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: FACILITY REPRESENTATIVE

Date:  
04-MAY-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
32797	42-A-1147	001	GINA WESTERCAMP	03-MAY-16

Count	Scientific Name	Common Name
000114	<i>Canis lupus familiaris</i>	DOG ADULT
000062	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000176</b>	<b>Total</b>	