



Inspection Report

Jan Thiel Inc.
51 I-25 Service Road East
Cheyenne, WY 82007

Customer ID: **14872**
Certificate: **83-C-0002**
Site: 001
JAN THIEL, INC.

Type: ROUTINE INSPECTION
Date: 25-OCT-2017

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

***One llama and five alpacas have heavily matted hair coats that need to be sheared. The hair coats on the llama and an alpaca, with a brown coat and black face, are heavily twisted with large mats that cover the majority of their bodies. The other four alpacas have hair coats with mats of varying sizes on numerous places on their bodies.

Matted hair coats can cause discomfort for the animals and lead to skin disease and other medical conditions. The licensee must remove the mats and ensure that all llamas and alpacas have their hair coats routinely maintained in order to prevent, control, diagnose, and treat diseases associated with excessive matting. Additionally, the facility must ensure that the recently sheared animals receive adequate protection from the elements to prevent any discomfort from cold temperatures.

To be corrected by: November 1, 2017

***The written Program of Veterinary Care (PVC) on file is incomplete and does not reflect the actual preventative care practices currently utilized by the facility.

The PVC states that the camels will receive "CDT vaccination twice in the first year of life, then annually." To treat intestinal parasites, the PVC states that "Ivermectin injectable twice yearly" will be administered, as well as "oral fenbendazole twice yearly."

Veterinary treatment records maintained by the facility indicate that "Fatima," a female Dromedary camel; "Meshak," a male Dromedary camel; and "Sheba," a female Dromedary camel were administered CDT vaccination, Ivermectin, and Safeguard in December 2016. Based on facility treatment records, and a phone conversation between the veterinarian's office and the facility at the time of inspection, these camels have not received deworming medications of Ivermectin or Safeguard since December 2016. Facility treatment records indicate that Sheba and Meshak received Ivermectin and Safeguard once in 2015, however they did not receive the CDT vaccination that year.

The PVC is a written agreement between the exhibitor and the attending veterinarian establishing standards of care

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
15-NOV-2017

Title: HPA GOV USER 6113

Received by Title: FACILITY REPRESENTATIVE

Date:
15-NOV-2017



Inspection Report

for the animals. Failure to have a complete PVC or failure to follow the PVC as written by the attending veterinarian could jeopardize the health and well-being of the animals. The facility should establish and maintain a PVC to include all the regulated animals and the facility must follow the guidance of the attending veterinarian as established in the PVC.

To be corrected by: November 8, 2017

2.75(b)(1)(iii)

RECORDS: DEALERS AND EXHIBITORS.

***The licensee did not have complete acquisition records for four alpacas acquired on 09/25/16. The vehicle license number and state, and the driver's license number and state of the individual from whom the animals were acquired were missing from the facility's records.

Records containing the required information for animals acquired for use in regulated activities, including those offspring born on premise, are necessary in order to accurately track animals being used in regulated activities to ensure their humane care and use. The licensee shall make, keep, and maintain records of acquisition of all animals that fully and correctly discloses the required information.

To be corrected from this date forward

3.125(a)

FACILITIES, GENERAL.

***A large portion of the wire fencing enclosing the primary enclosure of six camels is in disrepair. The metal posts supporting the wires are at an approximately 50 degree angle to the ground, leaning in an outward direction, away from the enclosure.

This portion of the fencing is no longer structurally sound and minimizes the fence's ability to contain the camels. All enclosures must be kept in good repair and free of sharp points, protruding edges, or gaps/openings in order to protect the animals from injury and to contain the animals. A system of timely identification, facility repair, and maintenance must be in place.

To be corrected by: 1 November, 2017

3.130

WATERING.

***There was a buildup of slimy, brown debris on the interior surfaces of the two water receptacles in the enclosure containing six camels.

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
15-NOV-2017

Title: HPA GOV USER 6113

Received by Title: FACILITY REPRESENTATIVE

Date:
15-NOV-2017



Inspection Report

***There was a buildup of slimy, brown debris on the interior surfaces of the two water receptacles in the enclosure containing five adult alpacas.

Water receptacles must be maintained in a clean and sanitary condition. They should be cleaned at a frequency that is adequate to maintain standard husbandry practices.

To be corrected by November 4, 2016

This inspection and exit interview were conducted with facility representatives.

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
15-NOV-2017

Title: HPA GOV USER 6113

Received by Title: FACILITY REPRESENTATIVE

Date:
15-NOV-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
14872	83-C-0002	001	JAN THIEL, INC.	25-OCT-17

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000006	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000006	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lama glama</i>	LLAMA
000009	<i>Lama pacos</i>	ALPACA
000023	Total	