



Inspection Report

University of Puerto Rico
PO Box 365067 - Medical Science Campus
San Juan, PR 00936

Customer ID: **960**
Certificate: **94-R-0109**
Site: 004
CARIBBEAN PRIMATE CENTER

Type: ROUTINE INSPECTION
Date: 25-JUL-2022

3.84(c)

Cleaning, sanitization, housekeeping, and pest control.

Several metal roof planks from the investigator's office, and two animal shade platforms were observed to have extensive corroded sharp points and edges. Buildings and facilities at premises where nonhuman primates congregate and use, must be kept in good repair, and be free of jagged edges or sharp points in order to protect the animals from traumatic injuries. To prevent potential injuries to the nonhuman primates in the colony, the facility must repair or replace as all corroded roof planks on all affected buildings within the premises.

To be completed by: September 25, 2022

This inspection and exit interview were conducted with three facility representatives.

Prepared By: MARIO MERCADO
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
25-JUL-2022

Received by Title: Manager

Date:
25-JUL-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
960	94-R-0109	004	CARIBBEAN PRIMATE CENTER	25-JUL-2022

Count	Scientific Name	Common Name
001731	<i>Macaca mulatta</i>	RHESUS MACAQUE
001731	Total	