

United States Department of Agriculture Animal and Plant Health Inspection Service

MWILLIAMS **2016090000777434** Insp_id

Inspection Report

KYLE WILSON 1416 CURRIER LANE KNOXVILLE, TN 37919 Customer ID: 9679

Certificate: 63-C-0149

Site: 001

ROCKY HILL REINDEER

Type: ROUTINE INSPECTION

Date: 22-MAR-2022

3.125(a) Repeat

Facilities, general.

***There are two 4 x 8 sheets of plywood on the divider fence to the left as you enter the first section of the enclosure.

The panels are weathered and damaged with wood breaking off of them. The panels are said to have been placed to protect the reindeer during season but currently the panel on the gate is loose and unattached at the bottom right easily flexing out when touched which may allow the reindeer to become injured. There are several pieces of broken plywood from these panels on the ground where the reindeer have access. The plywood shall be removed, repaired or replaced

and broken boards on the ground removed to protect the reindeer from injury.

***The large tree that fell on the fence along the right side of the back enclosure was cited on a previous inspection is still laying on the fence causing the top line of the fence to bend down and outward, and the lower wire to bend inward into the enclosure leaving areas that may allow the reindeer to become hung up in the fence. The fence is in disrepair and shall be repaired or replaced to protect the reindeer from injury and to maintain them securely within the enclosure.

3.131(d)

Sanitation.

Prepared By: MICHELLE WILLIAMS

USDA, APHIS, Animal Care

23-MAR-2022

Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee

Date: 23-MAR-2022



United States Department of Agriculture Animal and Plant Health Inspection Service

MWILLIAMS **2016090000777434** Insp_id

Inspection Report

***The bottom of the wall of the food storage room has a board that has broken away directly beneath the food being stored for the reindeer revealing what appears to be a rat nesting area. There is a concentration of rat droppings in the dugout located there. Discussion with the licensee revealed there is no pest control program in place. A program shall be developed and utilized to prevent food contamination and minimize risk of disease hazard.

This inspection and exit interview were conducted with the licensee.

Prepared By: MICHELLE WILLIAMS _____ Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

23-MAR-2022

23-MAR-2022

USDA, APHIS, Animal Care



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 9679

Inspection Date: 22-Mar-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9679	63-C-0149	001	ROCKY HILL REINDEER	22-MAR-2022

CountScientific NameCommon Name000011Rangifer tarandusREINDEER

000011 **Total**