



Inspection Report

Vickie Hines
22994 399 St
Woonsocket, SD 57385

Customer ID: **6504**
Certificate: **46-A-0233**
Site: 001
VICKIE HINES

Type: ROUTINE INSPECTION
Date: 08-MAY-2018

3.6(a)(2)(ii)

PRIMARY ENCLOSURES.

Two pens located inside on the north side of the kennel building were found to have sharp points protruding into their interior enclosures from tin repairs done on their doorways. The corners of the sheet metal were exposed from the wall/door surface and were at level where they could make contact with animals in the enclosure. The exposed sharp corners of tin are a potential injury risk to dogs occupying the kennels.

Primary enclosures must be constructed and maintained so that they have no sharp points which could injure the dogs.

Correct or move animals to non-affected enclosures by 3:30 pm 05-08-2018.

3.6(a)(2)(ix)

PRIMARY ENCLOSURES.

Two enclosures located on the north side of the kennel building were found to have worn or chewed areas on the doorways leading to the exterior runs. There was exposure of underlying wood in these worn areas.

Exposed and unprotected wood surfaces absorb moisture and can make it more difficult to adequately sanitize those surfaces.

Primary enclosures must be constructed and maintained in a manner that enables all surfaces in contact with the dogs to be readily sanitized in accordance with 3.11(b) or replaceable when worn or soiled.

Correct by 06-08-2018.

3.10

WATERING.

A blue plastic wading pool located in the outdoor yard area on the north side of the house was found to have brown water in it with some leaf material floating on the water surface. Several dogs were observed jumping into the

Prepared By: SECOR THOMAS, D V M USDA, APHIS, Animal Care

Date:
08-MAY-2018

Title: VETERINARY MEDICAL OFFICER 6108

Received by Title: OWNER

Date:
08-MAY-2018



Inspection Report

pool and drinking water from the pool during the USDA inspection.

Two water bowls located west and south of the pool were found to have accumulated debris in them.

Two bowls located in the fenced area immediately south of the kennel building were also found to have debris accumulated in them.

Water receptacles that contain accumulated debris or unclean water may pose a health hazard to dogs drinking from those receptacles.

Potable water must be offered to the dogs as often as necessary to ensure their health and well-being. All water receptacles must be kept clean and sanitized in accordance with 3.11 (b).

Correct by 3:30 pm on 05-08-20.

3.11(b)(2)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Twelve interior pens located in the kennel building were found to have a significant accumulation of dirt and grime on enclosure floors, walls and doors. Food and water receptacles within enclosures were also found to have a buildup of grime on their surfaces. Accumulation of grime and dirt on enclosure surfaces and food and water receptacles makes it harder to adequately sanitize enclosures and receptacles.

Used primary enclosures and food and water receptacles for dogs must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b) (3) of this section, and more often if necessary to prevent accumulation of dirt, debris, food waste, excreta, and other disease hazards.

Correct by 05-22-2018.

3.11(c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There was a large amount of clutter inside the main kennel building, outside the kennel area in the fenced area where dogs are allowed to run, and inside the kennel area of the house.

Accumulation of trash, junk or other materials not routinely used in kennel operations may make it more difficult to adequately clean and sanitize animal areas, may pose a potential harbor for insect and animal pests, and also a potential place for animal injury.

Prepared By: SECOR THOMAS, D V M USDA, APHIS, Animal Care

Date:
08-MAY-2018

Title: VETERINARY MEDICAL OFFICER 6108

Received by Title: OWNER

Date:
08-MAY-2018



Inspection Report

Correct by 05-22-2018.

.

This inspection and exit interview were conducted with the facility owner.

Prepared By: SECOR THOMAS, D V M USDA, APHIS, Animal Care

Date:
08-MAY-2018

Title: VETERINARY MEDICAL OFFICER 6108

Received by Title: OWNER

Date:
08-MAY-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6504	46-A-0233	001	VICKIE HINES	08-MAY-18

Count	Scientific Name	Common Name
000060	<i>Canis lupus familiaris</i>	DOG ADULT
000012	<i>Canis lupus familiaris</i>	DOG PUPPY
000072	Total	